

# Package ‘eigenmodel’

October 13, 2022

**Title** Semiparametric Factor and Regression Models for Symmetric Relational Data

**Version** 1.11

**Date** 2019-05-28

**Author** Peter Hoff

**Maintainer** Peter Hoff <peter.hoff@duke.edu>

**Description** Estimation of the parameters in a model for symmetric relational data (e.g., the above-diagonal part of a square matrix), using a model-based eigenvalue decomposition and regression. Missing data is accommodated, and a posterior mean for missing data is calculated under the assumption that the data are missing at random. The marginal distribution of the relational data can be arbitrary, and is fit with an ordered probit specification. See Hoff (2007) <[arXiv:0711.1146](#)> for details on the model.

**License** GPL-2

**URL** <https://pdhoff.github.io/>

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2019-05-28 15:40:03 UTC

## R topics documented:

eigenmodel-package	2
addlines	3
eigenmodel_mcmc	4
eigenmodel_setup	5
plot.eigenmodel_post	6
rb_fc	6
rmvnorm	7
rUL_fc	7

rZ_fc . . . . .	8
ULU . . . . .	9
XB . . . . .	9
YX_Friend . . . . .	10
Y_Gen . . . . .	10
Y_impute . . . . .	10
Y_Pro . . . . .	11

<b>Index</b>	<b>12</b>
--------------	-----------

---

eigenmodel-package	<i>Semiparametric Factor and Regression Models for Symmetric Relational Data</i>
--------------------	--

---

## Description

Estimation of the parameters in a model for symmetric relational data (e.g., the above-diagonal part of a square matrix), using a model-based eigenvalue decomposition and regression. Missing data is accommodated, and a posterior mean for missing data is calculated under the assumption that the data are missing at random. The marginal distribution of the relational data can be arbitrary, and is fit with an ordered probit specification. See Hoff (2007) <arXiv:0711.1146> for details on the model.

## Details

Package:	eigenmodel
Type:	Package
Version:	1.11
Date:	2019-05-28
License:	GPL Version 2

## Author(s)

Peter Hoff <peter.hoff@duke.edu>

## References

Hoff (2007) “Modeling homophily and stochastic equivalence in symmetric relational data”

## Examples

```
data(YX_Friend)

fit<-eigenmodel_mcmc(Y=YX_Friend$Y,X=YX_Friend$X,R=2,S=50,burn=50)
```

```
# in general you should run the Markov chain longer than 50 scans

plot(fit)

# people familiar with MCMC might want to implement
# their own Markov chains:

Y<-YX_Friend$Y
X<-YX_Friend$X

eigenmodel_setup(R=2)

for(s in 1:50) { # you should run your chain longer than 50 scans

  Z<-rZ_fc()
  UL<-rUL_fc()
  b<-rb_fc()

}

#fit_Gen<-eigenmodel_mcmc(Y=Y_Gen,R=3,S=10000)
#fit_Pro<-eigenmodel_mcmc(Y=Y_Pro,R=3,S=10000)
```

---

addlines

*Adds lines between nodes to an existing plot of nodes*

---

### Description

Adds lines between nodes to an existing plot of nodes

### Usage

```
addlines(U, Y, col = "green", lwd = 1, lty = 1)
```

### Arguments

U	an n x 2 matrix of node locations
Y	a symmetric matrix
col	color of the lines
lwd	width of the lines
lty	line type

**Author(s)**

Peter Hoff

eigenmodel\_mcmc

*Approximate the posterior distribution of parameters in an eigenmodel***Description**

Construct approximate samples from the posterior distribution of the parameters and latent variables in an eigenmodel for symmetric relational data.

**Usage**

```
eigenmodel_mcmc(Y, X = NULL, R = 2, S = 1000, seed = 1, Nss = min(S,
1000), burn = 100)
```

**Arguments**

Y	an n x n symmetric matrix with missing diagonal entries. Off-diagonal missing values are allowed.
X	an n x n x p array of regressors
R	the rank of the approximating factor matrix
S	number of samples from the Markov chain
seed	a random seed
Nss	number of samples to be saved
burn	number of initial scans of the Markov chain to be dropped

**Value**

a list with the following components:

Z_postmean	posterior mean of the latent variable in the probit specification
ULU_postmean	posterior mean of the reduced-rank approximating matrix
Y_postmean	the original data matrix with missing values replaced by posterior means
L_postsamp	samples of the eigenvalues
b_postsamp	samples of the regression coefficients
Y	original data matrix
X	original regressor array
S	number of scans of the Markov chain

**Author(s)**

Peter Hoff

**Examples**

```
data(YX_Friend)

fit<-eigenmodel_mcmc(Y=YX_Friend$Y,X=YX_Friend$X,R=2,S=50,burn=50)

# in general you should run the Markov chain longer than 50 scans

plot(fit)

#fit<-eigenmodel_mcmc(Y=Y_Gen,R=3,S=10000)

#fit<-eigenmodel_mcmc(Y=Y_Pro,R=3,S=10000)
```

---

eigenmodel\_setup      *Setup constants and starting values for an eigenmodel fit*

---

**Description**

Setup constants and starting values for an eigenmodel fit

**Usage**

```
eigenmodel_setup(R = 0, seed = 1, em_env = .GlobalEnv)
```

**Arguments**

R	non-negative integer rank of the approximating matrix
seed	a random seed
em_env	environment within which to do the fitting

**Author(s)**

Peter Hoff

---

`plot.eigenmodel_post` *Plot the output of an eigenmodel fit*

---

### Description

A graphical display of MCMC output and posterior estimates of model parameters in an eigenmodel fit. Includes 95 percent quantile-based posterior confidence intervals of regression coefficients.

### Usage

```
## S3 method for class 'eigenmodel_post'
plot(x, ...)
```

### Arguments

`x` an object of class `eigenmodel_post`  
`...` additional plotting options

### Author(s)

Peter Hoff

---

`rb_fc` *Sample from the full conditional distribution of the regression coefficients*

---

### Description

Sample from the full conditional distribution of the regression coefficients in an eigenmodel

### Usage

```
rb_fc(E = Z - ULU(UL))
```

### Arguments

`E` a symmetric matrix

### Value

a  $p \times 1$  vector

### Author(s)

Peter Hoff

---

`rmvnorm`*Sample from the multivariate normal distribution*

---

**Description**

Sample from the multivariate normal distribution

**Usage**

```
rmvnorm(mu, Sig2)
```

**Arguments**

`mu` a  $p \times 1$  vector  
`Sig2` a  $p \times p$  positive definite matrix

**Value**

a  $p \times 1$  vector

**Author(s)**

Peter Hoff

**Examples**

```
rmvnorm( c(0,0,0),diag(rep(3,1)) )
```

---

`rUL_fc`*Sample UL from its full conditional distribution*

---

**Description**

Samples the components of a reduced rank approximating matrix from their full conditional distributions

**Usage**

```
rUL_fc(E = Z - XB(X, b))
```

**Arguments**

`E` an  $n \times n$  symmetric matrix to be modeled with a reduced rank matrix

**Value**

A list with the following components:

- U                    an  $n \times r$  matrix of eigenvectors
- L                    an  $r \times r$  diagonal matrix of eigenvalues

**Author(s)**

Peter Hoff

---

rZ_fc	<i>Sample from the full conditional distribution of the probit latent variables</i>
-------	---

---

**Description**

Sample from the full conditional distribution of the latent variables in the ordered probit model

**Usage**

rZ\_fc(EZ = XB(X, b) + ULU(UL), MH = TRUE)

**Arguments**

- EZ                    a symmetric matrix with elements equal to the expected values of the latent variables
- MH                    whether or not to do a Metropolis update in addition to the Gibbs sampling

**Value**

a symmetric matrix

**Author(s)**

Peter Hoff



---

ULU *Computes a matrix from its eigenvalue decomposition*

---

**Description**

Computes a matrix from its eigenvalue decomposition

**Usage**

ULU(UL)

**Arguments**

UL a list with first component “U”, an  $n \times r$  matrix and the second component “L” an  $r \times r$  diagonal matrix

**Value**

an  $n \times n$  matrix

**Author(s)**

Peter Hoff

---

XB *Computes a sociomatrix of regression effects*

---

**Description**

Computes a sociomatrix of regression effects

**Usage**

XB(X, b)

**Arguments**

X an  $n \times n \times p$  array  
b a  $p \times 1$  vector

**Value**

an  $n \times n$  matrix

**Author(s)**

Peter Hoff

---

YX\_Friend

*Sex, race and friendship data from a 12th grade classroom*

---

**Description**

A list in which Y encodes the presence of a friendship tie between 90 12th graders. The array X indicates pairs of the same sex and of the same race.

**Source**

<http://www.cpc.unc.edu/projects/addhealth/design>

**Examples**

```
data(YX_Friend)
```

---

Y\_Gen

*Relations between words in the 1st chapter of Genesis*

---

**Description**

The  $i,j$ th entry of this matrix is the numerical count of the number of times word  $i$  was next to word  $j$  in the first chapter of Genesis.

**Examples**

```
data(Y_Gen)
```

---

Y\_impute

*Impute missing values of a sociomatrix*

---

**Description**

Impute missing values of a sociomatrix

**Usage**

```
Y_impute()
```

**Details**

Imputes missing values of a sociomatrix from a matrix of latent variables and an ordered-probit specification.

**Value**

symmetric matrix

**Author(s)**

Peter Hoff

---

Y\_Pro

*Butland's protein-protein interaction data*

---

**Description**

Butland's protein-protein interaction data

**References**

Butland et al (2005) "Interaction network containing conserved and essential protein complexes in Escherichia coli"

**Examples**

data(Y\_Pro)

# Index

- \* **datasets**
  - Y\_Gen, 10
  - Y\_Pro, 11
  - YX\_Friend, 10
- \* **distribution**
  - rmvnorm, 7
- \* **models**
  - eigenmodel\_mcmc, 4
  - eigenmodel\_setup, 5
  - rb\_fc, 6
  - rmvnorm, 7
  - rUL\_fc, 7
  - rZ\_fc, 8
  - ULU, 9
  - XB, 9
  - Y\_impute, 10
- \* **multivariate**
  - addlines, 3
  - eigenmodel\_mcmc, 4
  - eigenmodel\_setup, 5
  - plot.eigenmodel\_post, 6
  - rb\_fc, 6
  - rmvnorm, 7
  - rUL\_fc, 7
  - rZ\_fc, 8
  - ULU, 9
  - XB, 9
  - Y\_impute, 10
- \* **package**
  - eigenmodel-package, 2

addlines, 3

eigenmodel (eigenmodel-package), 2

eigenmodel-package, 2

eigenmodel\_mcmc, 4

eigenmodel\_setup, 5

plot.eigenmodel\_post, 6

rb\_fc, 6

rmvnorm, 7

rUL\_fc, 7

rZ\_fc, 8

ULU, 9

XB, 9

Y\_Gen, 10

Y\_impute, 10

Y\_Pro, 11

YX\_Friend, 10