

Package ‘timeplyr’

June 5, 2024

Title Fast Tidy Tools for Date and Date-Time Manipulation

Version 0.8.1

Description A set of fast tidy functions for wrangling, completing and summarising date and date-time data. It combines 'tidyverse' syntax with the efficiency of 'data.table' and speed of 'collapse'.

License GPL (>= 2)

BugReports <https://github.com/NicChr/timeplyr/issues>

Depends R (>= 3.5.0)

Imports cheapr (>= 0.9.1), collapse (>= 2.0.0), cppdoubles, data.table (>= 1.14.8), dplyr (>= 1.1.0), ggplot2 (>= 3.4.0), lubridate (>= 1.9.0), pillar (>= 1.7.0), rlang (>= 1.0.0), scales, stringr (>= 1.4.0), tidyselect (>= 1.2.0), timechange (>= 0.2.0), vctrs (>= 0.6.0)

Suggests bench, knitr, nycflights13, outbreaks, rmarkdown, testthat (>= 3.0.0), tidyr, zoo

LinkingTo cpp11

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.3.1

NeedsCompilation yes

Author Nick Christofides [aut, cre] (<<https://orcid.org/0000-0002-9743-7342>>)

Maintainer Nick Christofides <nick.christofides.r@gmail.com>

Repository CRAN

Date/Publication 2024-06-05 17:30:02 UTC

Contents

| | |
|------------------|---|
| timeplyr-package | 3 |
| .time_units | 3 |
| age_years | 4 |

| | |
|----------------------------------|----|
| asc | 4 |
| calendar | 5 |
| crossed_join | 6 |
| duplicate_rows | 7 |
| edf | 9 |
| farrange | 10 |
| fcount | 11 |
| fdistinct | 13 |
| fexpand | 14 |
| fgroup_by | 16 |
| frowid | 17 |
| fselect | 18 |
| fslice | 19 |
| get_time_delay | 22 |
| group_collapse | 24 |
| group_id | 26 |
| growth | 29 |
| growth_rate | 31 |
| interval_start | 33 |
| iso_week | 34 |
| is_date | 34 |
| is_whole_number | 35 |
| missing_dates | 36 |
| q_summarise | 37 |
| reset_timeplyr_options | 38 |
| roll_lag | 39 |
| roll_na_fill | 41 |
| roll_sum | 43 |
| stat_summarise | 45 |
| time_aggregate | 47 |
| time_by | 49 |
| time_count | 51 |
| time_cut | 53 |
| time_diff | 56 |
| time_elapsed | 57 |
| time_episodes | 59 |
| time_expand | 62 |
| time_expandv | 65 |
| time_gaps | 68 |
| time_gcd_diff | 70 |
| time_ggplot | 71 |
| time_id | 73 |
| time_interval | 75 |
| time_is_regular | 77 |
| time_lag | 79 |
| time_roll_sum | 80 |
| time_seq | 84 |
| time_seq_id | 88 |

| | |
|-------------------------|----|
| <i>timeplyr-package</i> | 3 |
| ts_as_tibble | 90 |
| unit_guess | 91 |
| year_month | 92 |

| | |
|--------------|-----------|
| Index | 95 |
|--------------|-----------|

| | |
|------------------|--|
| timeplyr-package | <i>timeplyr: Fast Tidy Tools for Date and Date-Time Manipulation</i> |
|------------------|--|

Description

A framework for handling raw date & datetime data using tidy best-practices from the tidyverse, the efficiency of data.table, and the speed of collapse.

You can learn more about the tidyverse, data.table and collapse using the links below

- [tidyverse](#)
- [data.table](#)
- [collapse](#)

Author(s)

Maintainer: Nick Christofides <nick.christofides.r@gmail.com> ([ORCID](#))

See Also

Useful links:

- Report bugs at <https://github.com/NicChr/timeplyr/issues>

| | |
|-------------|-------------------|
| .time_units | <i>Time units</i> |
|-------------|-------------------|

Description

Time units

Usage

- .time_units
- .period_units
- .duration_units
- .extra_time_units

Format

An object of class character of length 21.

An object of class character of length 7.

An object of class character of length 11.

An object of class character of length 10.

age_years

Accurate and efficient age calculation

Description

Correct calculation of ages in years using lubridate periods. Leap year calculations work as well.

Usage

```
age_years(start, end = if (is_date(start)) Sys.Date() else Sys.time())
```

```
age_months(start, end = if (is_date(start)) Sys.Date() else Sys.time())
```

Arguments

start Start date/datetime, typically date of birth.

end End date/datetime. Default is current date/datetime.

Value

Integer vector of age in years or months.

asc

Helpers to sort variables in ascending or descending order

Description

An alternative to `dplyr::desc()` which is much faster for character vectors and factors.

Usage

```
asc(x)
```

```
desc(x)
```

Arguments

x Vector.

Value

A numeric vector that can be ordered in ascending or descending order. Useful in `dplyr::arrange()` or `farrange()`.

Examples

```
library(dplyr)
library(timeplyr)

starwars %>%
  fdistinct(mass) %>%
  farrange(desc(mass))
```

| | |
|----------|--|
| calendar | <i>Create a table of common time units from a date or datetime sequence.</i> |
|----------|--|

Description

Create a table of common time units from a date or datetime sequence.

Usage

```
calendar(
  x,
  label = TRUE,
  week_start = getOption("lubridate.week.start", 1),
  fiscal_start = getOption("lubridate.fiscal.start", 1),
  name = "time"
)
```

Arguments

| | |
|--------------|---|
| x | date or datetime vector. |
| label | Logical. Should labelled (ordered factor) versions of week day and month be returned? Default is TRUE. |
| week_start | day on which week starts following ISO conventions - 1 means Monday, 7 means Sunday (default). When <code>label = TRUE</code> , this will be the first level of the returned factor. You can set <code>lubridate.week.start</code> option to control this parameter globally. |
| fiscal_start | Numeric indicating the starting month of a fiscal year. |
| name | Name of date/datetime column. |

Value

An object of class `tibble`.

Examples

```
library(timeplyr)
library(lubridate)

# Create a calendar for the current year
from <- floor_date(today(), unit = "year")
to <- ceiling_date(today(), unit = "year", change_on_boundary = TRUE) - days(1)

my_seq <- time_seq(from, to, time_by = "day")
calendar(my_seq)
```

| | |
|--------------|---|
| crossed_join | A <code>do.call()</code> and <code>data.table::CJ()</code> method |
|--------------|---|

Description

This function operates like `do.call(CJ, ...)` and accepts a list or `data.frame` as an argument. It has less overhead for small joins, especially when `unique = FALSE` and `as_dt = FALSE`. NAs are by default sorted last.

Usage

```
crossed_join(
  X,
  sort = FALSE,
  unique = TRUE,
  as_dt = TRUE,
  strings_as_factors = FALSE
)
```

Arguments

| | |
|---------------------------------|--|
| <code>X</code> | A list or data frame. |
| <code>sort</code> | Should the expansion be sorted? By default it is <code>FALSE</code> . |
| <code>unique</code> | Should unique values across each column or list element be taken? By default this is <code>TRUE</code> . |
| <code>as_dt</code> | Should result be a <code>data.table</code> ? By default this is <code>TRUE</code> . If <code>FALSE</code> a list is returned. |
| <code>strings_as_factors</code> | Should strings be converted to factors before expansion? The default is <code>FALSE</code> but setting to <code>TRUE</code> can offer a significant speed improvement. |

Details

An important note is that currently NAs are sorted last and therefore a key is not set.

Value

A data.table or list object.

Examples

```
library(timeplyr)

crossed_join(list(1:3, -2:2))
crossed_join(iris)
```

| | |
|----------------|----------------------------|
| duplicate_rows | <i>Find duplicate rows</i> |
|----------------|----------------------------|

Description

Find duplicate rows

Usage

```
duplicate_rows(
  data,
  ...,
  .keep_all = FALSE,
  .both_ways = FALSE,
  .add_count = FALSE,
  .drop_empty = FALSE,
  sort = FALSE,
  .by = NULL,
  .cols = NULL
)
```

Arguments

| | |
|-------------|--|
| data | A data frame. |
| ... | Variables used to find duplicate rows. |
| .keep_all | If TRUE then all columns of data frame are kept, default is FALSE. |
| .both_ways | If TRUE then duplicates and non-duplicate first instances are retained. The default is FALSE which returns only duplicate rows. Setting this to TRUE can be particularly useful when examining the differences between duplicate rows. |
| .add_count | If TRUE then a count column is added to denote the number of duplicates (including first non-duplicate instance). The naming convention of this column follows <code>dplyr::add_count()</code> . |
| .drop_empty | If TRUE then empty rows with all NA values are removed. The default is FALSE. |

| | |
|-------|---|
| sort | Should result be sorted? If FALSE (the default), then rows are returned in the exact same order as they appear in the data. If TRUE then the duplicate rows are sorted. |
| .by | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| .cols | (Optional) alternative to ... that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

Details

This function works like `dplyr::distinct()` in its handling of arguments and data-masking but returns duplicate rows. In certain situations it can be much faster than `data %>% group_by() %>% filter(n() > 1)` when there are many groups. `fduplicates2()` returns the same output but uses a different method which utilises joins and is written almost entirely using `dplyr`.

Value

A data frame of duplicate rows.

See Also

[fcount](#) [group_collapse](#) [fdistinct](#)

Examples

```
library(dplyr)
library(timeplyr)
library(ggplot2)

# Duplicates across all columns
diamonds %>%
  duplicate_rows()
# Alternatively with row ids
diamonds %>%
  filter(frowid(.) > 1)
# Diamonds with the same dimensions
diamonds %>%
  duplicate_rows(x, y, z)
# Can use tidyverse select notation
diamonds %>%
  duplicate_rows(across(where(is.factor)), .keep_all = FALSE)
# Similar to janitor::get_dupes()
diamonds %>%
  duplicate_rows(.add_count = TRUE)
# Keep the first instance of each duplicate row
diamonds %>%
  duplicate_rows(.both_ways = TRUE)
# Same as the below
diamonds %>%
  fadd_count(across(everything())) %>%
  filter(n > 1)
```

| | |
|-----|---|
| edf | <i>Grouped empirical cumulative distribution function applied to data</i> |
|-----|---|

Description

Like `dplyr::cume_dist(x)` and `ecdf(x)(x)` but with added grouping and weighting functionality. You can calculate the empirical distribution of `x` using aggregated data by supplying frequency weights. No expansion occurs which makes this function extremely efficient for this type of data, of which plotting is a common application.

Usage

```
edf(x, g = NULL, wt = NULL)
```

Arguments

| | |
|-----------------|------------------------------|
| <code>x</code> | Numeric vector. |
| <code>g</code> | Numeric vector of group IDs. |
| <code>wt</code> | Frequency weights. |

Value

A numeric vector the same length as `x`.

Examples

```
library(timeplyr)
library(dplyr)
library(ggplot2)

set.seed(9123812)
x <- sample(seq(-10, 10, 0.5), size = 10^2, replace = TRUE)
plot(sort(edf(x)))
all.equal(edf(x), ecdf(x)(x))
all.equal(edf(x), cume_dist(x))

# Manual ECDF plot using only aggregate data
y <- rnorm(100, 10)
start <- floor(min(y) / 0.1) * 0.1
grid <- time_span(y, time_by = 0.1, from = start)
counts <- time_countv(y, time_by = 0.1, from = start, complete = TRUE)$n
edf <- edf(grid, wt = counts)
# Trivial here as this is the same
all.equal(unnamed(cumsum(counts)/sum(counts)), edf)

# Full ecdf
tibble(x) %>%
```

```

ggplot(aes(x = y)) +
  stat_ecdf()
# Approximation using aggregate only data
tibble(grid, edf) %>%
  ggplot(aes(x = grid, y = edf)) +
  geom_step()

# Grouped example
g <- sample(letters[1:3], size = 10^2, replace = TRUE)

edf1 <- tibble(x, g) %>%
  mutate(edf = cume_dist(x),
         .by = g) %>%
  pull(edf)
edf2 <- edf(x, g = g)
all.equal(edf1, edf2)

```

farrange

A collapse *version of* dplyr::arrange()

Description

This is a fast and near-identical alternative to `dplyr::arrange()` using the collapse package. `desc()` is like `dplyr::desc()` but works faster when called directly on vectors.

Usage

```
farrange(data, ..., .by = NULL, .by_group = FALSE, .cols = NULL)
```

Arguments

| | |
|------------------------|---|
| <code>data</code> | A data frame. |
| <code>...</code> | Variables to arrange by. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidyselect</code> . |
| <code>.by_group</code> | If <code>TRUE</code> the sorting will be first done by the group variables. |
| <code>.cols</code> | (Optional) alternative to <code>...</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

Details

`farrange()` is inspired by `collapse::roworder()` but also supports dplyr style data-masking which makes it a closer replacement to `dplyr::arrange()`.

You can use `desc()` interchangeably with dplyr and timeplyr.

`arrange(iris, desc(Species))` uses dplyr's version.

`farrange(iris, desc(Species))` uses timeplyr's version.

`farrange()` is faster when there are many groups or a large number of rows.

Value

A sorted data.frame.

| | |
|--------|---|
| fcount | <i>A fast replacement to dplyr::count()</i> |
|--------|---|

Description

Near-identical alternative to `dplyr::count()`.

Usage

```
fcount(
  data,
  ...,
  wt = NULL,
  sort = FALSE,
  order = df_group_by_order_default(data),
  name = NULL,
  .by = NULL,
  .cols = NULL
)
```

```
fadd_count(
  data,
  ...,
  wt = NULL,
  sort = FALSE,
  order = df_group_by_order_default(data),
  name = NULL,
  .by = NULL,
  .cols = NULL
)
```

Arguments

| | |
|-------|---|
| data | A data frame. |
| ... | Variables to group by. |
| wt | Frequency weights. Can be NULL or a variable: <ul style="list-style-type: none"> • If NULL (the default), counts the number of rows in each group. • If a variable, computes <code>sum(wt)</code> for each group. |
| sort | If TRUE, will show the largest groups at the top. |
| order | Should the groups be calculated as ordered groups? If FALSE, this will return the groups in order of first appearance, and in many cases is faster. If TRUE (the default), the groups are returned in sorted order, exactly the same way as <code>dplyr::count</code> . |

| | |
|--------------------|--|
| <code>name</code> | The name of the new column in the output. If there's already a column called <code>n</code> , it will use <code>nn</code> . If there's a column called <code>n</code> and <code>nn</code> , it'll use <code>nnn</code> , and so on, adding <code>ns</code> until it gets a new name. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidy-select</code> . |
| <code>.cols</code> | (Optional) alternative to <code>.by</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

Details

This is a fast and near-identical alternative to `dplyr::count()` using the `collapse` package. Unlike `collapse::fcount()`, this works very similarly to `dplyr::count()`. The only main difference is that anything supplied to `wt` is recycled and added as a data variable. Other than that everything works exactly as the `dplyr` equivalent.

`fcount()` and `fadd_count()` can be up to >100x faster than the `dplyr` equivalents.

Value

A data frame of frequency counts by group.

Examples

```
library(timeplyr)
library(dplyr)

iris %>%
  fcount()
iris %>%
  fadd_count(name = "count") %>%
  fslice_head(n = 10)
iris %>%
  group_by(Species) %>%
  fcount()
iris %>%
  fcount(Species)
iris %>%
  fcount(across(where(is.numeric), mean))

### Sorting behaviour

# Sorted by group
starwars %>%
  fcount(hair_color)
# Sorted by frequency
starwars %>%
  fcount(hair_color, sort = TRUE)
# Groups sorted by order of first appearance (faster)
starwars %>%
  fcount(hair_color, order = FALSE)
```

| | |
|-----------|---------------------------|
| fdistinct | <i>Find distinct rows</i> |
|-----------|---------------------------|

Description

Like `dplyr::distinct()` but faster when lots of groups are involved.

Usage

```
fdistinct(  
  data,  
  ...,  
  .keep_all = FALSE,  
  sort = FALSE,  
  order = sort,  
  .by = NULL,  
  .cols = NULL  
)
```

Arguments

| | |
|------------------------|---|
| <code>data</code> | A data frame. |
| <code>...</code> | Variables used to find distinct rows. |
| <code>.keep_all</code> | If TRUE then all columns of data frame are kept, default is FALSE. |
| <code>sort</code> | Should result be sorted? Default is FALSE. When <code>order = FALSE</code> this option has no effect on the result. |
| <code>order</code> | Should the groups be calculated as ordered groups? Setting to TRUE may sometimes offer a speed benefit, but usually this is not the case. The default is FALSE. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| <code>.cols</code> | (Optional) alternative to <code>...</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

Value

A data frame of distinct groups.

See Also

[group_collapse duplicate_rows](#)

Examples

```
library(dplyr)
library(timeplyr)
library(ggplot2)

mpg %>%
  distinct(manufacturer)
mpg %>%
  fdistinct(manufacturer)
```

fexpand

Fast versions of tidyr::expand() and tidyr::complete().

Description

Fast versions of `tidyr::expand()` and `tidyr::complete()`.

Usage

```
fexpand(
  data,
  ...,
  expand_type = c("crossing", "nesting"),
  sort = FALSE,
  .by = NULL
)

fcomplete(
  data,
  ...,
  expand_type = c("crossing", "nesting"),
  sort = FALSE,
  .by = NULL,
  fill = NA
)
```

Arguments

| | |
|--------------------------|--|
| <code>data</code> | A data frame |
| <code>...</code> | Variables to expand |
| <code>expand_type</code> | Type of expansion to use where "nesting" finds combinations already present in the data (exactly the same as using <code>distinct()</code>) but <code>fexpand()</code> allows new variables to be created on the fly and columns are sorted in the order given. "crossing" finds all combinations of values in the group variables. |
| <code>sort</code> | Logical. If TRUE expanded/completed variables are sorted. The default is FALSE. |

| | |
|-------------------|---|
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidy-select</code> . |
| <code>fill</code> | A named list containing value-name pairs to fill the named implicit missing values. |

Details

For un-grouped data `fexpand()` is similar in speed to `tidyr::expand()`. When the data contain many groups, `fexpand()` is much much faster (see examples).

The 2 main differences between `fexpand()` and `tidyr::expand()` are that:

- `tidyr` style helpers like `nesting()` and `crossing()` are ignored. The type of expansion used is controlled through `expand_type` and applies to all supplied variables.
- Expressions are first calculated on the entire ungrouped dataset before being expanded but within-group expansions will work on variables that already exist in the dataset. For example, `iris %>% group_by(Species) %>% fexpand(Sepal.Length, Sepal.Width)` will perform a grouped expansion but `iris %>% group_by(Species) %>% fexpand(range(Sepal.Length))` will not.

For efficiency, when supplying groups, expansion is done on a by-group basis only if there are 2 or more variables that aren't part of the grouping. The reason is that a by-group calculation does not need to be done with 1 expansion variable as all combinations across groups already exist against that 1 variable. When `expand_type = "nesting"` groups are ignored for speed purposes as the result is the same.

An advantage of `fexpand()` is that it returns a data frame with the same class as the input. It also uses `data.table` for memory efficiency and collapse for speed.

A future development for `fcomplete()` would be to only fill values of variables that correspond only to both additional completed rows and rows that match the expanded rows, are filled in. For example, `iris %>% mutate(test = NA_real_) %>% complete(Sepal.Length = 0:100, fill = list(test = 0))` fills in all NA values of `test`, whereas `iris %>% mutate(test = NA_real_) %>% fcomplete(Sepal.Length = 0:100, fill = list(test = 0))` should only fill in values of `test` that correspond to `Sepal.Length` values of `0:100`.

An additional note to add when `expand_type = "nesting"` is that if one of the supplied variables in `...` does not exist in the data, but can be recycled to the length of the data, then it is added and treated as a data variable.

Value

A `data.frame` of expanded groups.

Examples

```
library(timeplyr)
library(dplyr)
library(lubridate)
library(nycflights13)

flights %>%
  fexpand(origin, dest)
```

```

flights %>%
  fexpand(origin, dest, sort = FALSE)

# Grouped expansions example
# 1 extra group (carrier) this is very quick
flights %>%
  group_by(origin, dest, tailnum) %>%
  fexpand(carrier)

```

| | |
|-----------|--|
| fgroup_by | <i>'collapse' version of dplyr::group_by()</i> |
|-----------|--|

Description

This works the exact same as `dplyr::group_by()` and typically performs around the same speed but uses slightly less memory.

Usage

```

fgroup_by(
  data,
  ...,
  .add = FALSE,
  order = df_group_by_order_default(data),
  .by = NULL,
  .cols = NULL,
  .drop = df_group_by_drop_default(data)
)

```

Arguments

| | |
|--------------------|---|
| <code>data</code> | data frame. |
| <code>...</code> | Variables to group by. |
| <code>.add</code> | Should groups be added to existing groups? Default is FALSE. |
| <code>order</code> | Should groups be ordered? If FALSE groups will be ordered based on first-appearance. Typically, setting order to FALSE is faster. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidyselect</code> . |
| <code>.cols</code> | (Optional) alternative to <code>...</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |
| <code>.drop</code> | Should unused factor levels be dropped? Default is TRUE. |

Details

fgroup_by() works almost exactly like the 'dplyr' equivalent. An attribute "sorted" (TRUE or FALSE) is added to the group data to signify if the groups are sorted or not.

Value

A grouped_df.

| | |
|--------|---------------------------------|
| frowid | <i>Fast grouped row numbers</i> |
|--------|---------------------------------|

Description

Very fast row numbers by group.

Usage

```
frowid(x, ascending = TRUE)
```

Arguments

| | |
|-----------|--|
| x | A vector, data frame or GRP object. |
| ascending | When ascending = TRUE the row IDs are in increasing order. When ascending = FALSE the row IDs are in decreasing order. |

Details

frowid() is like data.table::rowid() but uses an alternative method for calculating row numbers. When x is a collapse GRP object, it is considerably faster. It is also faster for character vectors.

Value

An integer vector of row IDs.

See Also

[row_id](#) [add_row_id](#)

Examples

```
library(timeplyr)
library(dplyr)
library(data.table)
library(nycflights13)

# Simple row numbers
head(row_id(flights))
# Row numbers by origin
```

```

head(frowid(flights$origin))
head(row_id(flights, origin))

# Fast duplicate rows
head(frowid(flights) > 1)

# With data frames, better to use row_id()
flights %>%
  add_row_id() %>% # Plain row ids
  add_row_id(origin, dest, .name = "grouped_row_id") # Row IDs by group

```

fselect

Fast dplyr::select()/dplyr::rename()

Description

fselect() operates the exact same way as dplyr::select() and can be used naturally with tidy-select helpers. It uses collapse to perform the actual selecting of variables and is considerably faster than dplyr for selecting exact columns, and even more so when supplying the .cols argument.

Usage

```
fselect(data, ..., .cols = NULL)
```

```
frename(data, ..., .cols = NULL)
```

Arguments

| | |
|-------|---|
| data | A data frame. |
| ... | Variables to select using tidy-select. See ?dplyr::select for more info. |
| .cols | (Optional) faster alternative to ... that accepts a named character vector or numeric vector. No checks on duplicates column names are done when using .cols. If speed is an expensive resource, it is recommended to use this. |

Value

A data.frame of selected columns.

Examples

```

library(timeplyr)
library(dplyr)

df <- slice_head(iris, n = 5)
fselect(df, Species, SL = Sepal.Length)

```

```

fselect(df, .cols = c("Species", "Sepal.Length"))
fselect(df, all_of(c("Species", "Sepal.Length")))
fselect(df, 5, 1)
fselect(df, .cols = c(5, 1))
df %>%
  fselect(where(is.numeric))

```

| | |
|--------|------------------------------|
| fslice | <i>Faster</i> dplyr::slice() |
|--------|------------------------------|

Description

When there are lots of groups, the `fslice()` functions are much faster.

Usage

```
fslice(data, ..., .by = NULL, keep_order = FALSE, sort_groups = TRUE)
```

```

fslice_head(
  data,
  ...,
  n,
  prop,
  .by = NULL,
  keep_order = FALSE,
  sort_groups = TRUE
)

```

```

fslice_tail(
  data,
  ...,
  n,
  prop,
  .by = NULL,
  keep_order = FALSE,
  sort_groups = TRUE
)

```

```

fslice_min(
  data,
  order_by,
  ...,
  n,
  prop,
  .by = NULL,
  with_ties = TRUE,
)

```

```

    na_rm = FALSE,
    keep_order = FALSE,
    sort_groups = TRUE
  )

  fslice_max(
    data,
    order_by,
    ...,
    n,
    prop,
    .by = NULL,
    with_ties = TRUE,
    na_rm = FALSE,
    keep_order = FALSE,
    sort_groups = TRUE
  )

  fslice_sample(
    data,
    n,
    replace = FALSE,
    prop,
    .by = NULL,
    keep_order = FALSE,
    sort_groups = TRUE,
    weights = NULL,
    seed = NULL
  )

```

Arguments

| | |
|--------------------------|---|
| <code>data</code> | Data frame |
| <code>...</code> | See <code>?dplyr::slice</code> for details. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| <code>keep_order</code> | Should the sliced data frame be returned in its original order? The default is FALSE. |
| <code>sort_groups</code> | If TRUE (the default) the by-group slices will be done in order of the sorted groups. If FALSE the group order is determined by first-appearance in the data. |
| <code>n</code> | Number of rows. |
| <code>prop</code> | Proportion of rows. |
| <code>order_by</code> | Variables to order by. |
| <code>with_ties</code> | Should ties be kept together? The default is TRUE. |
| <code>na_rm</code> | Should missing values in <code>fslice_max()</code> and <code>fslice_min()</code> be removed? The default is FALSE. |

| | |
|---------|--|
| replace | Should <code>fslice_sample()</code> sample with or without replacement? Default is <code>FALSE</code> , without replacement. |
| weights | Probability weights used in <code>fslice_sample()</code> . |
| seed | Seed number defining RNG state. If supplied, this is only applied locally within the function and the seed state isn't retained after sampling. To clarify, whatever seed state was in place before the function call, is restored to ensure seed continuity. If left <code>NULL</code> (the default), then the seed is never modified. |

Details

`fslice()` and friends allow for more flexibility in how you order the by-group slicing. Furthermore, you can control whether the returned data frame is sliced in the order of the supplied row indices, or whether the original order is retained (like `dplyr::filter()`).

In `fslice()`, when `length(n) == 1`, an optimised method is implemented that internally uses `list_subset()`, a fast function for extracting single elements from single-level lists that contain vectors of the same type, e.g. integer.

`fslice_head()` and `fslice_tail()` are very fast with large numbers of groups.

`fslice_sample()` is arguably more intuitive as it by default resamples each entire group without replacement, without having to specify a maximum group size like in `dplyr::slice_sample()`.

Value

A data.frame of specified rows.

Examples

```
library(timeplyr)
library(dplyr)
library(nycflights13)

flights <- flights %>%
  group_by(origin, dest)

# First row repeated for each group
flights %>%
  fslice(1, 1)
# First row per group
flights %>%
  fslice_head(n = 1)
# Last row per group
flights %>%
  fslice_tail(n = 1)
# Earliest flight per group
flights %>%
  fslice_min(time_hour, with_ties = FALSE)
# Last flight per group
flights %>%
  fslice_max(time_hour, with_ties = FALSE)
# Random sample without replacement by group
# (or stratified random sampling)
```

```
flights %>%
  fslice_sample()
```

| | |
|----------------|---|
| get_time_delay | <i>Get summary statistics of time delay</i> |
|----------------|---|

Description

The output is a list containing summary statistics of time delay between two date/datetime vectors. This can be especially useful in estimating reporting delay for example.

- **data** - A data frame containing the origin, end and calculated time delay.
- **unit** - The chosen time unit.
- **num** - The number of time units.
- **summary** - tibble with summary statistics.
- **delay** - tibble containing the empirical cumulative distribution function values by time delay.
- **plot** - A ggplot of the time delay distribution.

Usage

```
get_time_delay(
  data,
  origin,
  end,
  time_by = 1L,
  time_type = getOption("timeplyr.time_type", "auto"),
  min_delay = -Inf,
  max_delay = Inf,
  probs = c(0.25, 0.5, 0.75, 0.95),
  .by = NULL,
  include_plot = TRUE,
  x_scales = "fixed",
  bw = "sj",
  ...
)
```

Arguments

| | |
|---------|--|
| data | A data frame. |
| origin | Origin date variable. |
| end | End date variable. |
| time_by | Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> |

- named list of length one, the unit being the name, and the number the value of the list, e.g. `list("days" = 7)`. For the vectorized time functions, you can supply multiple values, e.g. `list("days" = 1:10)`.
- Numeric vector. If `time_by` is a numeric vector and `x` is not a date/datetime, then arithmetic is used, e.g. `time_by = 1`.

| | |
|---------------------------|---|
| <code>time_type</code> | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| <code>min_delay</code> | The minimum acceptable delay, all delays less than this are removed before calculation. Default is <code>min_delay = -Inf</code> . |
| <code>max_delay</code> | The maximum acceptable delay, all delays greater than this are removed before calculation. Default is <code>max_delay = Inf</code> . |
| <code>probs</code> | Probabilities used in the quantile summary. Default is <code>probs = c(0.25, 0.5, 0.75, 0.95)</code> . |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| <code>include_plot</code> | Should a ggplot graph of delay distributions be included in the output? |
| <code>x_scales</code> | Option to control how the x-axis is displayed for multiple facets. Choices are "fixed" or "free_x". |
| <code>bw</code> | The smoothing bandwidth selector for the Kernel Density estimator. If numeric, the standard deviation of the smoothing kernel. If character, a rule to choose the bandwidth. See <code>?stats::bw.nrd</code> for more details. The default has been set to "SJ" which implements the Sheather & Jones (1991) method, as recommended by the R team <code>?stats::density</code> . This differs from the default implemented by <code>stats::density()</code> which uses Silverman's rule-of-thumb. |
| <code>...</code> | Further arguments to be passed on to <code>ggplot2::geom_density()</code> . |

Value

A list containing summary data, summary statistics and an optional ggplot.

Examples

```
library(timeplyr)
library(outbreaks)
library(dplyr)

ebola_linelist <- ebola_sim_clean$linelist

# Incubation period distribution

# 95% of individuals experienced an incubation period of <= 26 days
inc_distr_days <- ebola_linelist %>%
  get_time_delay(date_of_infection,
                date_of_onset,
                time_by = "days")
head(inc_distr_days$data)
inc_distr_days$unit
```

```
inc_distr_days$num
inc_distr_days$summary
head(inc_distr_days$delay) # ECDF and freq by delay
inc_distr_days$plot

# Can change bandwidth selector
inc_distr_days <- ebola_linelist %>%
  get_time_delay(date_of_infection,
                 date_of_onset,
                 time_by = "day",
                 bw = "nrd")
inc_distr_days$plot

# Can choose any time units
inc_distr_weeks <- ebola_linelist %>%
  get_time_delay(date_of_infection,
                 date_of_onset,
                 time_by = "weeks",
                 bw = "nrd")
inc_distr_weeks$plot
```

group_collapse

Key group information

Description

Key group information

Usage

```
group_collapse(
  data,
  ...,
  order = TRUE,
  sort = FALSE,
  ascending = TRUE,
  .by = NULL,
  .cols = NULL,
  id = TRUE,
  size = TRUE,
  loc = TRUE,
  start = TRUE,
  end = TRUE,
  .drop = df_group_by_drop_default(data)
)
```


Arguments

| | |
|-----------|--|
| data | A data frame or vector. |
| ... | Additional groups using tidy data-masking rules. To specify groups using tidyselect, simply use the .by argument. |
| order | Should the groups be ordered? THE PHYSICAL ORDER OF THE DATA IS NOT CHANGED. When order is TRUE (the default) the group IDs will be ordered but not sorted. If FALSE the order of the group IDs will be based on first appearance. |
| sort | Should the data frame be sorted by the groups? |
| ascending | Should groups be ordered in ascending order? Default is TRUE and only applies when order = TRUE. |
| .by | Alternative way of supplying groups using tidyselect notation. This is kept to be consistent with other functions. |
| .cols | (Optional) alternative to ... that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |
| id | Should group IDs be added? Default is TRUE. |
| size | Should group sizes be added? Default is TRUE. |
| loc | Should group locations be added? Default is TRUE. |
| start | Should group start locations be added? Default is TRUE. |
| end | Should group end locations be added? Default is TRUE. |
| .drop | Should unused factor levels be dropped? Default is TRUE. |

Details

group_collapse() is similar to dplyr::group_data() but differs in 3 key regards:

- The output tries to convey as much information about the groups as possible. By default, like dplyr, the groups are ordered, but unlike dplyr they are not sorted, which conveys information on order-of-first-appearance in the data. In addition to group locations, group sizes and start indices are returned.
- There is more flexibility in specifying how the groups are ordered and/or sorted.
- collapse is used to obtain the grouping structure, which is very fast.

There are 3 ways to specify the groups:

- Using ... which utilises tidy data-masking.
- Using .by which utilises tidyselect.
- Using .cols which accepts a named character/integer vector.

Value

A tibble of unique groups and an integer ID uniquely identifying each group.

Examples

```

library(timeplyr)
library(dplyr)

iris <- dplyr::as_tibble(iris)
group_collapse(iris) # No groups
group_collapse(iris, Species) # Species groups

iris %>%
  group_by(Species) %>%
  group_collapse() # Same thing

# Group entire data frame
group_collapse(iris, .by = everything())

```

group_id

Fast group IDs

Description

These are tidy-based functions for calculating group IDs, row IDs and group orders.

- `group_id()` returns an integer vector of group IDs the same size as the data.
- `row_id()` returns an integer vector of row IDs.
- `group_order()` returns the order of the groups.

The `add_` variants add a column of group IDs/row IDs/group orders.

Usage

```

group_id(
  data,
  ...,
  order = TRUE,
  ascending = TRUE,
  .by = NULL,
  .cols = NULL,
  as_qg = FALSE
)

```

```

add_group_id(
  data,
  ...,
  order = TRUE,
  ascending = TRUE,
  .by = NULL,

```

```

    .cols = NULL,
    .name = NULL,
    as_qg = FALSE
  )

row_id(data, ..., ascending = TRUE, .by = NULL, .cols = NULL)

## S3 method for class 'GRP'
row_id(data, ascending = TRUE, ...)

add_row_id(data, ..., ascending = TRUE, .by = NULL, .cols = NULL, .name = NULL)

group_order(data, ..., ascending = TRUE, .by = NULL, .cols = NULL)

add_group_order(
  data,
  ...,
  ascending = TRUE,
  .by = NULL,
  .cols = NULL,
  .name = NULL
)

```

Arguments

| | |
|-----------|---|
| data | A data frame or vector. |
| ... | Additional groups using tidy data-masking rules. To specify groups using <code>tidyselect</code> , simply use the <code>.by</code> argument. |
| order | Should the groups be ordered? THE PHYSICAL ORDER OF THE DATA IS NOT CHANGED. When <code>order</code> is <code>TRUE</code> (the default) the group IDs will be ordered but not sorted. The expression <pre> identical(order(x, na.last = TRUE), order(group_id(x, order = TRUE))) </pre> or in the case of a data frame <pre> identical(order(x1, x2, x3, na.last = TRUE), order(group_id(data, x1, x2, x3, order = TRUE))) </pre> should always hold. If <code>FALSE</code> the order of the group IDs will be based on first appearance. |
| ascending | Should the group order be ascending or descending? The default is <code>TRUE</code> . For <code>row_id()</code> this determines if the row IDs are increasing or decreasing. NOTE - When <code>order = FALSE</code> , the <code>ascending</code> argument is ignored. This is something that will be fixed in a later version. |
| .by | Alternative way of supplying groups using <code>tidyselect</code> notation. |
| .cols | (Optional) alternative to <code>...</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

| | |
|-------|--|
| as_qg | Should the group IDs be returned as a collapse "qG" class? The default (FALSE) always returns an integer vector. |
| .name | Name of the added ID column which should be a character vector of length 1. If .name = NULL (the default), add_group_id() will add a column named "group_id", and if one already exists, a unique name will be used. |

Details

It's important to note for data frames, these functions by default assume no groups unless you supply them.

This means that when no groups are supplied:

- `group_id(iris)` returns a vector of ones
- `row_id(iris)` returns the plain row id numbers
- `group_order(iris) == row_id(iris)`.

One can specify groups in the second argument like so:

- `group_id(iris, Species)`
- `row_id(iris, across(all_of("Species")))`
- `group_order(iris, across(where(is.numeric), desc))`

If you want `group_id` to always use all the columns of a data frame for grouping while simultaneously utilising the `group_id` methods, one can use the below function.

```
group_id2 <- function(data, ...){
  group_id(data, ..., .cols = names(data))
}
```

Value

An integer vector.

Examples

```
library(timeplyr)
library(dplyr)
library(ggplot2)

group_id(iris) # No groups
group_id(iris, Species) # Species groups
row_id(iris) # Plain row IDs
row_id(iris, Species) # Row IDs by group
# Order of Species + descending Petal.Width
group_order(iris, Species, desc(Petal.Width))
# Same as
order(iris$Species, -xtfrm(iris$Petal.Width))

# Tidy data-masking/tidyselect can be used
group_id(iris, across(where(is.numeric))) # Groups across numeric values
```

```

# Alternatively using tidycselect
group_id(iris, .by = where(is.numeric))

# Group IDs using a mixtured order
group_id(iris, desc(Species), Sepal.Length, desc(Petal.Width))

# add_ helpers
iris %>%
  distinct(Species) %>%
  add_group_id(Species)
iris %>%
  add_row_id(Species) %>%
  pull(row_id)

# Usage in data.table
library(data.table)
iris_dt <- as.data.table(iris)
iris_dt[, group_id := group_id(.SD, .cols = names(.SD)),
        .SDcols = "Species"]

# Or if you're using this often you can write a wrapper
set_add_group_id <- function(x, ..., .name = "group_id"){
  id <- group_id(x, ...)
  data.table::set(x, j = .name, value = id)
}
set_add_group_id(iris_dt, desc(Species))[]

mm_mpg <- mpg %>%
  select(manufacturer, model) %>%
  arrange(desc(pick(everything())))

# Sorted/non-sorted groups
mm_mpg %>%
  add_group_id(across(everything()),
              .name = "sorted_id", order = TRUE) %>%
  add_group_id(manufacturer, model,
              .name = "not_sorted_id", order = FALSE) %>%
  distinct()

```

growth

Rolling basic growth

Description

Calculate basic growth calculations on a rolling basis. `growth()` calculates the percent change between the totals of two numeric vectors when they're of equal length, otherwise the percent change between the means. `rolling_growth()` does the same calculation on 1 numeric vector, on a rolling basis. Pairs of windows of length `n`, lagged by the value specified by `lag` are compared in a similar manner. When `lag = n` then `data.table::frollsum()` is used, otherwise `data.table::frollmean()` is used.

Usage

```
growth(x, y, na.rm = FALSE, log = FALSE, inf_fill = NULL)
```

```
rolling_growth(
  x,
  n = 1,
  lag = n,
  na.rm = FALSE,
  partial = TRUE,
  offset = NULL,
  weights = NULL,
  inf_fill = NULL,
  log = FALSE,
  ...
)
```

Arguments

| | |
|----------|---|
| x | Numeric vector. |
| y | numeric vector |
| na.rm | Should missing values be removed when calculating window? Defaults to FALSE. |
| log | If TRUE Growth (relative change) in total and mean events will be calculated on the log-scale. |
| inf_fill | Numeric value to replace Inf values with. Default behaviour is to keep Inf values. |
| n | Rolling window size, default is 1. |
| lag | Lag of basic growth comparison, default is the rolling window size. |
| partial | Should rates be calculated outwith the window using partial windows? If TRUE (the default), (n - 1) pairs of equally-sized rolling windows are compared, their size increasing by 1 up to size n, at which point the rest of the window pairs are all of size n. If FALSE all window-pairs will be of size n. |
| offset | Numeric vector of values to use as offset, e.g. population sizes or exposure times. |
| weights | Importance weights. These can either be length 1 or the same length as x. Currently, no normalisation of weights occurs. |
| ... | Further arguments to be passed on to frollmean. |

Value

growth returns a numeric(1) and rolling_growth returns a numeric(length(x)).

Examples

```
library(timeplyr)
set.seed(42)
```

```

# Growth rate is 6% per day
x <- 10 * (1.06)^(0:25)

# Simple growth from one day to the next
rolling_growth(x, n = 1)

# Growth comparing rolling 3 day cumulative
rolling_growth(x, n = 3)

# Growth comparing rolling 3 day cumulative, lagged by 1 day
rolling_growth(x, n = 3, lag = 1)

# Growth comparing windows of equal size
rolling_growth(x, n = 3, partial = FALSE)

# Seven day moving average growth
roll_mean(rolling_growth(x), window = 7, partial = FALSE)

```

| | |
|-------------|--------------------------|
| growth_rate | <i>Fast Growth Rates</i> |
|-------------|--------------------------|

Description

Calculate the rate of percentage change per unit time.

Usage

```
growth_rate(x, na.rm = FALSE, log = FALSE, inf_fill = NULL)
```

Arguments

| | |
|----------|--|
| x | Numeric vector. |
| na.rm | Should missing values be removed when calculating window? Defaults to FALSE. When na.rm = TRUE the size of the rolling windows are adjusted to the number of non-NA values in each window. |
| log | If TRUE then growth rates are calculated on the log-scale. |
| inf_fill | Numeric value to replace Inf values with. Default behaviour is to keep Inf values. |

Details

It is assumed that x is a vector of values with a corresponding time index that increases regularly with no gaps or missing values.

The output is to be interpreted as the average percent change per unit time.

For a rolling version that can calculate rates as you move through time, see `roll_growth_rate`.

For a more generalised method that incorporates time gaps and complex time windows, use `time_roll_growth_rate`.

The growth rate can also be calculated using the geometric mean of percent changes. The below identity should always hold:

```
`tail(roll_growth_rate(x, window = length(x)), 1) == growth_rate(x)`
```

Value

```
numeric(1)
```

See Also

[roll_growth_rate](#) [time_roll_growth_rate](#)

Examples

```
library(timeplyr)

set.seed(42)
initial_investment <- 100
years <- 1990:2000
# Assume a rate of 8% increase with noise
relative_increases <- 1.08 + rnorm(10, sd = 0.005)

assets <- Reduce(`*`, relative_increases, init = initial_investment, accumulate = TRUE)
assets

# Note that this is approximately 8%
growth_rate(assets)

# We can also calculate the growth rate via geometric mean

rel_diff <- exp(diff(log(assets)))
all.equal(rel_diff, relative_increases)

geometric_mean <- function(x, na.rm = TRUE, weights = NULL){
  exp(collapse::fmean(log(x), na.rm = na.rm, w = weights))
}

geometric_mean(rel_diff) == growth_rate(assets)

# Weighted growth rate

w <- c(rnorm(5)^2, rnorm(5)^4)
geometric_mean(rel_diff, weights = w)

# Rolling growth rate over the last n years
roll_growth_rate(assets)

# The same but using geometric means
exp(roll_mean(log(c(NA, rel_diff))))

# Rolling growth rate over the last 5 years
```



```

roll_growth_rate(assets, window = 5)
roll_growth_rate(assets, window = 5, partial = FALSE)

## Rolling growth rate with gaps in time

years2 <- c(1990, 1993, 1994, 1997, 1998, 2000)
assets2 <- assets[years %in% years2]

# Below does not incorporate time gaps into growth rate calculation
# But includes helpful warning
time_roll_growth_rate(assets2, window = 5, time = years2)
# Time step allows us to calculate correct rates across time gaps
time_roll_growth_rate(assets2, window = 5, time = years2, time_step = 1) # Time aware

```

| | |
|----------------|--------------------------------|
| interval_start | <i>Time interval utilities</i> |
|----------------|--------------------------------|

Description

Time interval utilities

Usage

```

interval_start(x)

interval_end(x)

interval_count(x)

interval_range(x, na_rm = TRUE)

interval_length(x, ...)

```

Arguments

| | |
|-------|---|
| x | A 'time_interval'. |
| na_rm | Should NA values be removed? Default is TRUE. |
| ... | Additional arguments passed onto time_diff. |

See Also

[time_interval](#)

`iso_week`*Efficient, simple and flexible ISO week calculation*

Description

`iso_week()` is a flexible function to return formatted ISO weeks, with optional ISO year and ISO day. `isoday()` returns the day of the ISO week.

Usage

```
iso_week(x, year = TRUE, day = FALSE)
```

```
isoday(x)
```

Arguments

| | |
|-------------------|--|
| <code>x</code> | Date vector. |
| <code>year</code> | Logical. If TRUE then ISO Year is returned along with the ISO week. |
| <code>day</code> | Logical. If TRUE then day of the week is returned with the ISO week, starting at 1, Monday, and ending at 7, Sunday. |

Value

An ISO week vector of class character.

Examples

```
library(timeplyr)
library(lubridate)

iso_week(today())
iso_week(today(), day = TRUE)
iso_week(today(), year = FALSE, day = TRUE)
iso_week(today(), year = FALSE, day = FALSE)
```

`is_date`*Utility functions for checking if date or datetime*

Description

Utility functions for checking if date or datetime

Usage

```
is_date(x)
```

```
is_datetime(x)
```

```
is_time(x)
```

```
is_time_or_num(x)
```

Arguments

`x` Time variable.
Can be a Date, POSIXt, numeric, integer, yearmon, yearqtr, year_month or year_quarter.

Value

A [logical](#) of length 1.

| | |
|-----------------|---------------------------------------|
| is_whole_number | <i>Are all numbers whole numbers?</i> |
|-----------------|---------------------------------------|

Description

Are all numbers whole numbers?

Usage

```
is_whole_number(x, tol = .Machine$double.eps, na.rm = TRUE)
```

Arguments

`x` A numeric vector.

`tol` tolerance value.
The default is `.Machine$double.eps`, essentially the lowest possible tolerance. A more typical tolerance for double floating point comparisons in other comparisons is `sqrt(.Machine$double.eps)`.

`na.rm` Should NA values be removed before calculation? Default is TRUE.

Details

This is a very efficient function that returns FALSE if any number is not a whole-number and TRUE if all of them are.

Method:

`x` is defined as a whole number vector if all numbers satisfy `abs(x - round(x)) < tol`.

NA handling:

NA values are handled in a custom way.

If x is an integer, TRUE is always returned even if x has missing values.

If x has both missing values and decimal numbers, FALSE is always returned.

If x has missing values, and only whole numbers and `na.rm = FALSE`, then NA is returned.

Basically NA is only returned if `na.rm = FALSE` and x is a double vector of only whole numbers and NA values.

Inspired by the discussion in this thread: [check-if-the-number-is-integer](#)

Value

A logical vector of length 1.

Examples

```
library(timeplyr)
library(dplyr)

# Has built-in tolerance
sqrt(2)^2 %% 1 == 0
is_whole_number(sqrt(2)^2)

is_whole_number(1)
is_whole_number(1.2)

x1 <- c(0.02, 0:10^5)
x2 <- c(0:10^5, 0.02)

is_whole_number(x1)
is_whole_number(x2)

# Somewhat more strict than all.equal

all.equal(10^9 + 0.0001, round(10^9 + 0.0001))
is_whole_number(10^9 + 0.0001)

# Can safely be used to select whole number variables
starwars %>%
  select(where(is_whole_number))

# To reduce the size of any data frame one can use the below code

df <- starwars %>%
  mutate(across(where(is_whole_number), as.integer))
```

Description

Check for missing dates between first and last date

Usage

```
missing_dates(x)
```

```
n_missing_dates(x)
```

Arguments

x A date or datetime vector, or a data frame.

Value

A date vector if x is a vector, or a list if x is a data . frame.

| | |
|-------------|--------------------------------------|
| q_summarise | <i>Fast grouped quantile summary</i> |
|-------------|--------------------------------------|

Description

collapse and data . table are used for the calculations.

Usage

```
q_summarise(
  data,
  ...,
  probs = seq(0, 1, 0.25),
  type = 7,
  pivot = c("wide", "long"),
  na.rm = TRUE,
  sort = df_group_by_order_default(data),
  .by = NULL,
  .cols = NULL
)
```

Arguments

data A data frame.

... Variables used to calculate quantiles for. Tidy data-masking applies.

probs Quantile probabilities.

type An integer from 5-9 specifying which algorithm to use. See [quantile](#) for more details.

pivot Should data be pivoted wide or long? Default is wide.

| | |
|-------|--|
| na.rm | Should NA values be removed? Default is TRUE. |
| sort | Should groups be sorted? Default is TRUE. |
| .by | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| .cols | (Optional) alternative to ... that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |

Value

A data.table containing the quantile values for each group.

See Also

[stat_summarise](#)

Examples

```
library(timeplyr)
library(dplyr)

# Standard quantiles
iris %>%
  q_summarise(Sepal.Length)
# Quantiles by species
iris %>%
  q_summarise(Sepal.Length, .by = Species)
# Quantiles by species across multiple columns
iris %>%
  q_summarise(Sepal.Length, Sepal.Width,
              probs = c(0, 1),
              .by = Species)
# Long format if one desires, useful for ggplot2
iris %>%
  q_summarise(Sepal.Length, pivot = "long",
              .by = Species)
# Example with lots of groups
set.seed(20230606)
df <- data.frame(x = rnorm(10^5),
                 g = sample.int(10^5, replace = TRUE))
q_summarise(df, x, .by = g, sort = FALSE)
```

reset_timeplyr_options

Reset 'timeplyr' options

Description

One can set global options to be used in timeplyr. These options include:

- `time_type` - Controls whether to use periods, durations or to decide automatically.
- `roll_month` - Controls how to roll forward or backward impossible calendar days.
- `roll_dst` - Controls how to roll forward or backward impossible date-times.
- `interval_style` - Controls how `time_interval` objects are formatted.
- `interval_sub_formatter` - A function to format the start and end times of a `time_interval`.
- `use_intervals` - Controls whether `time_intervals` are returned whenever dates or date-times are aggregated. If this is `FALSE` the start time (or left-hand side) is always returned.

Usage

```
reset_timeplyr_options()
```

Value

Resets the timeplyr global options (prefixed with "timeplyr."): `time_type`, `roll_month`, `roll_dst`, `interval_style`, `interval_sub_formatter` and `use_intervals`.

Examples

```
library(timeplyr)
options(timeplyr.interval_style = "start")
getOption("timeplyr.interval_style")
reset_timeplyr_options()
getOption("timeplyr.interval_style")
```

roll_lag

Fast rolling grouped lags and differences

Description

Inspired by 'collapse', `roll_lag` and `roll_diff` operate similarly to `flag` and `fdiff`.

Usage

```
roll_lag(x, n = 1L, ...)

## Default S3 method:
roll_lag(x, n = 1L, g = NULL, fill = NULL, ...)

roll_diff(x, n = 1L, ...)

## Default S3 method:
```

```
roll_diff(x, n = 1L, g = NULL, fill = NULL, differences = 1L, ...)
```

```
diff_(
  x,
  n = 1L,
  differences = 1L,
  order = NULL,
  run_lengths = NULL,
  fill = NULL
)
```

Arguments

| | |
|-------------|---|
| x | A vector or data frame. |
| n | Lag. This will be recycled to match the length of x and can be negative. |
| ... | Arguments passed onto appropriate method. |
| g | Grouping vector. This can be a vector, data frame or GRP object. |
| fill | Value to fill the first n elements. |
| differences | Number indicating the number of times to recursively apply the differencing algorithm. If <code>length(n) == 1</code> , i.e the lag is a scalar integer, an optimised method is used which avoids recursion entirely. If <code>length(n) != 1</code> then simply recursion is used. |
| order | Optionally specify an ordering with which to apply the lags/differences. This is useful for example when applying lags chronologically using an unsorted time variable. |
| run_lengths | Optional integer vector of run lengths that defines the size of each lag run. For example, supplying <code>c(5, 5)</code> applies lags to the first 5 elements and then essentially resets the bounds and applies lags to the next 5 elements as if they were an entirely separate and standalone vector. This is particularly useful in conjunction with the <code>order</code> argument to perform a by-group lag. |

Details

While these may not be as fast the 'collapse' equivalents, they are adequately fast and efficient.

A key difference between `roll_lag` and `flag` is that `g` does not need to be sorted for the result to be correct.

Furthermore, a vector of lags can be supplied for a custom rolling lag. For time-based lags, see [time_lag](#).

`roll_diff()` silently returns NA when there is integer overflow. Both `roll_lag()` and `roll_diff()` apply recursively to list elements.

Value

A vector the same length as x.

Examples

```

library(timeplyr)

x <- 1:10

roll_lag(x) # Lag
roll_lag(x, -1) # Lead
roll_diff(x) # Lag diff
roll_diff(x, -1) # Lead diff

# Using cheapr::lag_sequence()
# Differences lagged at 5, first 5 differences are compared to x[1]
roll_diff(x, cheapr::lag_sequence(length(x), 5, partial = TRUE))

# Like diff() but x/y instead of x-y
quotient <- function(x, n = 1L){
  x / roll_lag(x, n)
}
# People often call this a growth rate
# but it's just a percentage difference
# See ?roll_growth_rate for growth rate calculations
quotient(1:10)

```

| | |
|--------------|------------------------------------|
| roll_na_fill | <i>Fast grouped "locf" NA fill</i> |
|--------------|------------------------------------|

Description

A fast and efficient by-group method for "last-observation-carried-forward" NA filling.

Usage

```

roll_na_fill(x, g = NULL, fill_limit = Inf)

.roll_na_fill(x, fill_limit = Inf)

```

Arguments

| | |
|------------|--|
| x | A vector. |
| g | An object use for grouping x This may be a vector or data frame for example. |
| fill_limit | (Optional) maximum number of consecutive NAs to fill per NA cluster. Default is Inf. |

Details

Method:

When supplying groups using `g`, this method uses `radixorder(g)` to specify how to loop through `x`, making this extremely efficient.

When `x` contains zero or all NA values, then `x` is returned with no copy made.

`.roll_na_fill()` is the same as `roll_na_fill()` but without a `g` argument and it performs no sanity checks. It is passed straight to `c++` which makes it efficient for loops.

Value

A filled vector of `x` the same length as `x`.

Examples

```
library(timeplyr)
library(dplyr)
library(data.table)

words <- do.call(paste0,
                 do.call(expand.grid, rep(list(letters), 3)))
groups <- sample(words, size = 10^5, replace = TRUE)
x <- sample.int(10^2, 10^5, TRUE)
x[sample.int(10^5, 10^4)] <- NA

dt <- data.table(x, groups)

filled <- roll_na_fill(x, groups)

library(zoo)

# Summary
# Latest version of vctrs with their vec_fill_missing
# Is the fastest but not most memory efficient
# For low repetitions and large vectors, data.table is best

# For large numbers of repetitions (groups) and data
# that is sorted by groups
# timeplyr is fastest

# No groups
bench::mark(e1 = dt[, filled1 := timeplyr::roll_na_fill(x)][]$filled1,
            e2 = dt[, filled2 := data.table::nafill(x, type = "locf")][]$filled2,
            e3 = dt[, filled3 := vctrs::vec_fill_missing(x)][]$filled3,
            e4 = dt[, filled4 := zoo::na.locf0(x)][]$filled4,
            e5 = dt[, filled5 := timeplyr::roll_na_fill(x)][]$filled5)

# With group
bench::mark(e1 = dt[, filled1 := timeplyr::roll_na_fill(x, groups)][]$filled1,
            e2 = dt[, filled2 := data.table::nafill(x, type = "locf"), by = groups][]$filled2,
            e3 = dt[, filled3 := vctrs::vec_fill_missing(x), by = groups][]$filled3,
            e4 = dt[, filled4 := timeplyr::roll_na_fill(x), by = groups][]$filled4)

# Data sorted by groups
```

```

setkey(dt, groups)
bench::mark(e1 = dt[, filled1 := timeplyr::roll_na_fill(x, groups)][]$filled1,
            e2 = dt[, filled2 := data.table::nafill(x, type = "locf"), by = groups][]$filled2,
            e3 = dt[, filled3 := vctrs::vec_fill_missing(x), by = groups][]$filled3,
            e4 = dt[, filled4 := timeplyr::roll_na_fill(x), by = groups][]$filled4)

```

roll_sum

Fast by-group rolling functions

Description

An efficient method for rolling sum, mean and growth rate for many groups.

Usage

```

roll_sum(
  x,
  window = Inf,
  g = NULL,
  partial = TRUE,
  weights = NULL,
  na.rm = TRUE,
  ...
)

roll_mean(
  x,
  window = Inf,
  g = NULL,
  partial = TRUE,
  weights = NULL,
  na.rm = TRUE,
  ...
)

roll_geometric_mean(
  x,
  window = Inf,
  g = NULL,
  partial = TRUE,
  weights = NULL,
  na.rm = TRUE,
  ...
)

```

```

roll_harmonic_mean(
  x,
  window = Inf,
  g = NULL,
  partial = TRUE,
  weights = NULL,
  na.rm = TRUE,
  ...
)

roll_growth_rate(
  x,
  window = Inf,
  g = NULL,
  partial = TRUE,
  na.rm = FALSE,
  log = FALSE,
  inf_fill = NULL
)

```

Arguments

| | |
|-----------------------|--|
| <code>x</code> | Numeric vector, data frame, or list. |
| <code>window</code> | Rolling window size, default is <code>Inf</code> . |
| <code>g</code> | Grouping object passed directly to <code>collapse::GRP()</code> . This can for example be a vector or data frame. |
| <code>partial</code> | Should calculations be done using partial windows? Default is <code>TRUE</code> . |
| <code>weights</code> | Importance weights. Must be the same length as <code>x</code> . Currently, no normalisation of weights occurs. |
| <code>na.rm</code> | Should missing values be removed for the calculation? The default is <code>TRUE</code> . |
| <code>...</code> | Additional arguments passed to <code>data.table::frollmean</code> and <code>data.table::frollsum</code> . |
| <code>log</code> | For <code>roll_growth_rate</code> : If <code>TRUE</code> then growth rates are calculated on the log-scale. |
| <code>inf_fill</code> | For <code>roll_growth_rate</code> : Numeric value to replace <code>Inf</code> values with. Default behaviour is to keep <code>Inf</code> values. |

Details

`roll_sum` and `roll_mean` support parallel computations when `x` is a data frame of multiple columns. `roll_geometric_mean` and `roll_harmonic_mean` are convenience functions that utilise `roll_mean`. `roll_growth_rate` calculates the rate of percentage change per unit time on a rolling basis.

Value

A numeric vector the same length as `x` when `x` is a vector, or a list when `x` is a data frame.

See Also[time_roll_mean](#)**Examples**

```

library(timeplyr)

x <- 1:10
roll_sum(x) # Simple rolling total
roll_mean(x) # Simple moving average
roll_sum(x, window = 3)
roll_mean(x, window = 3)
roll_sum(x, window = 3, partial = FALSE)
roll_mean(x, window = 3, partial = FALSE)

# Plot of expected value of 'coin toss' over many flips
set.seed(42)
x <- sample(c(1, 0), 10^3, replace = TRUE)
ev <- roll_mean(x)
plot(ev)
abline(h = 0.5, lty = 2)

all.equal(roll_sum(iris$Sepal.Length, g = iris$Species),
          ave(iris$Sepal.Length, iris$Species, FUN = cumsum))
# The below is run using parallel computations where applicable
roll_sum(iris[, 1:4], window = 7, g = iris$Species)

library(data.table)
library(bench)
df <- data.table(g = sample.int(10^4, 10^5, TRUE),
                 x = rnorm(10^5))
mark(e1 = df[, mean := frollmean(x, n = 7,
                                align = "right", na.rm = FALSE), by = "g"]$mean,
     e2 = df[, mean := roll_mean(x, window = 7, g = get("g"),
                                partial = FALSE, na.rm = FALSE)]$mean)

```

stat_summarise

*Fast grouped statistical summary for data frames.***Description**

collapse and data.table are used for the calculations.

Usage

```

stat_summarise(
  data,

```

```

    ...,
    stat = c("n", "nmiss", "ndistinct"),
    q_probs = NULL,
    na.rm = TRUE,
    sort = df_group_by_order_default(data),
    .count_name = NULL,
    .names = NULL,
    .by = NULL,
    .cols = NULL,
    inform_stats = TRUE,
    as_tbl = FALSE
  )

  .stat_fns

```

Arguments

| | |
|---------------------------|---|
| <code>data</code> | A data frame. |
| <code>...</code> | Variables to apply the statistical functions to. Tidy data-masking applies. |
| <code>stat</code> | A character vector of statistical summaries to apply. This can be one or more of the following: "n", "nmiss", "ndistinct", "min", "max", "mean", "first", "last", "sd", "var", "mode", "median", "sum", "prop_complete". |
| <code>q_probs</code> | (Optional) Quantile probabilities. If supplied, <code>q_summarise()</code> is called and added to the result. |
| <code>na.rm</code> | Should NA values be removed? Default is TRUE. |
| <code>sort</code> | Should groups be sorted? Default is TRUE. |
| <code>.count_name</code> | Name of count column, default is "n". |
| <code>.names</code> | An optional glue specification passed to <code>stringr::glue()</code> . If <code>.names = NULL</code> , then when there is 1 variable, the function name is used, i.e. <code>.names = "{.fn}"</code> , when there are multiple variables and 1 function, the variable names are used, i.e. <code>.names = "{.col}"</code> and in the case of multiple variables and functions. <code>"{.col}_{.fn}"</code> is used. |
| <code>.by</code> | (Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidy-select</code> . |
| <code>.cols</code> | (Optional) alternative to <code>...</code> that accepts a named character vector or numeric vector. If speed is an expensive resource, it is recommended to use this. |
| <code>inform_stats</code> | Should available stat functions be displayed at the start of each session? Default is TRUE. |
| <code>as_tbl</code> | Should the result be a tibble? Default is FALSE. |

Format

```
.stat_fns
```

An object of class character of length 14.

Details

stat_summarise() can apply multiple functions to multiple variables.

stat_summarise() is equivalent to

```
data %>% group_by(...) %>% summarise(across(..., list(...)))
```

but is faster and more efficient and accepts limited statistical functions.

Value

A summary data.table containing the summary values for each group.

See Also

[q_summarise](#)

Examples

```
library(timeplyr)
library(dplyr)

stat_df <- iris %>%
  stat_summarise(Sepal.Length, .by = Species)
# Join quantile info too
q_df <- iris %>%
  q_summarise(Sepal.Length, .by = Species)
summary_df <- left_join(stat_df, q_df, by = "Species")
summary_df

# Multiple cols
iris %>%
  group_by(Species) %>%
  stat_summarise(across(contains("Width")),
    stat = c("min", "max", "mean", "sd"))
```

time_aggregate

Aggregate time to a higher unit

Description

Aggregate time to a higher unit for possibly many groups with respect to a time index.

Usage

```
time_aggregate(
  x,
  time_by = NULL,
  from = NULL,
  to = NULL,
```

```

time_type = getOption("timeplyr.time_type", "auto"),
roll_month = getOption("timeplyr.roll_month", "preday"),
roll_dst = getOption("timeplyr.roll_dst", "NA"),
time_floor = FALSE,
week_start = getOption("lubridate.week.start", 1),
as_interval = getOption("timeplyr.use_intervals", FALSE)
)

```

Arguments

| | |
|-------------|--|
| x | Time vector. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr vector. |
| time_by | Time unit. Must be one of the following: <ul style="list-style-type: none"> • string, e.g. time_by = "day" or time_by = "2 weeks" • lubridate duration or period object, e.g. days(1) or ddays(1). • named list of length one, e.g. list("days" = 7). • Numeric vector, e.g. time_by = 7. |
| from | Start. |
| to | End. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. |
| roll_dst | See ?timechange::time_add for the full list of details. |
| time_floor | Should from be floored to the nearest unit specified through the time_by argument? This is particularly useful for starting sequences at the beginning of a week or month for example. |
| week_start | day on which week starts following ISO conventions - 1 means Monday (default), 7 means Sunday. This is only used when time_floor = TRUE. |
| as_interval | Should result be a time_interval? Default is TRUE. This can be controlled globally through options(timeplyr.use_intervals). |

Details

time_aggregate aggregates time using distinct moving time range blocks of a specified time unit. The actual calculation is extremely simple and essentially requires a subtraction, a rounding and an addition.

To perform a by-group time aggregation, simply supply collapse::fmin(x, g = groups, TRA = "replace_fill") as the from argument.

Value

A time_interval.

See Also[time_summarise](#) [time_cut](#)**Examples**

```
library(timeplyr)
library(nycflights13)
library(lubridate)
library(dplyr)

sunique <- function(x) sort(unique(x))

hours <- sunique(flights$time_hour)
days <- as_date(hours)

# Aggregate by week or any time unit easily
sunique(time_aggregate(hours, "week"))
sunique(time_aggregate(hours, ddays(14)))
sunique(time_aggregate(hours, "month"))
sunique(time_aggregate(days, "month"))

# Left aligned
sunique(time_aggregate(days, "quarter"))

# Very fast by group aggregation
start <- collapse::fmin(flights$time_hour, g = flights$tailnum,
  TRA = "replace_fill")
week_by_tailnum <- time_aggregate(flights$time_hour, time_by = ddays(7),
  from = start)

# Confirm this has been done by group as each group will have a
# Different aggregate start date
flights %>%
  stat_summarise(week_by_tailnum, .by = tailnum, stat = "min",
    sort = FALSE)
```

`time_by`*Group by a time variable at a higher time unit*

Description

`time_by` groups a time variable by a specified time unit like for example "days" or "weeks". It can be used exactly like `dplyr::group_by`.

Usage

```
time_by(
  data,
  time,
```

```

time_by = NULL,
from = NULL,
to = NULL,
.name = paste0("time_intv_", time_by_pretty(time_by, "_")),
.add = FALSE,
time_type = getOption("timeplyr.time_type", "auto"),
as_interval = getOption("timeplyr.use_intervals", FALSE),
.time_by_group = TRUE
)

```

```
time_by_span(x)
```

```
time_by_var(x)
```

```
time_by_units(x)
```

Arguments

| | |
|----------------|---|
| data | A data frame. |
| time | Time variable (data-masking). Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr. |
| time_by | Time unit. Must be one of the following: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • lubridate duration or period object, e.g. <code>days(1)</code> or <code>ddays(1)</code>. • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| from | (Optional) Start time. |
| to | (Optional) end time. |
| .name | An optional glue specification passed to <code>stringr::glue()</code> which can be used to concatenate strings to the time column name or replace it. |
| .add | Should the time groups be added to existing groups? Default is FALSE. |
| time_type | If "auto", periods are used for the time aggregation when days, weeks, months or years are specified, and durations are used otherwise. If durations are used the output is always of class POSIXct. |
| as_interval | Should time variable be a <code>time_interval</code> ? Default is FALSE. This can be controlled globally through <code>options(timeplyr.use_intervals)</code> . |
| .time_by_group | Should the time aggregations be built on a group-by-group basis (the default), or should the time variable be aggregated using the full data? If done by group, different groups may contain different time sequences. This only applies when <code>.add = TRUE</code> . |
| x | A <code>time_tbl_df</code> . |

Value

A `time_tbl_df` which for practical purposes can be treated the same way as a `dplyr grouped_df`.

Examples

```
library(dplyr)
library(timeplyr)
library(nycflights13)
library(lubridate)

# Basic usage
hourly_flights <- flights %>%
  time_by(time_hour) # Detects time granularity

hourly_flights
time_by_span(hourly_flights)

monthly_flights <- flights %>%
  time_by(time_hour, "month")
weekly_flights <- flights %>%
  time_by(time_hour, "week", from = floor_date(min(time_hour), "week"))

monthly_flights %>%
  count()

weekly_flights %>%
  summarise(n = n(), arr_delay = mean(arr_delay, na.rm = TRUE))

# To aggregate multiple variables, use time_aggregate

flights %>%
  select(time_hour) %>%
  mutate(across(everything(), \(x) time_aggregate(x, time_by = "weeks"))) %>%
  count(time_hour)
```

time_count

time_count *is deprecated*

Description

time_count is deprecated

Usage

```
time_count(
  data,
  time = NULL,
```

```

    ...,
    time_by = NULL,
    from = NULL,
    to = NULL,
    .name = "{.col}",
    complete = FALSE,
    wt = NULL,
    name = NULL,
    sort = FALSE,
    .by = NULL,
    time_floor = FALSE,
    week_start = getOption("lubridate.week.start", 1),
    time_type = getOption("timeplyr.time_type", "auto"),
    roll_month = getOption("timeplyr.roll_month", "preday"),
    roll_dst = getOption("timeplyr.roll_dst", "NA"),
    as_interval = getOption("timeplyr.use_intervals", FALSE)
  )

```

Arguments

| | |
|-------------|--------------------|
| data | Deprecated. |
| time | Deprecated. |
| ... | Deprecated. |
| time_by | Deprecated. |
| from | Deprecated. |
| to | Deprecated. |
| .name | Deprecated. |
| complete | Deprecated. |
| wt | Deprecated. |
| name | Deprecated. |
| sort | Deprecated. |
| .by | Deprecated. |
| time_floor | Deprecated. |
| week_start | Deprecated. |
| time_type | Deprecated. |
| roll_month | Deprecated. |
| roll_dst | Deprecated. |
| as_interval | Deprecated. |

| | |
|----------|---|
| time_cut | <i>Cut dates and datetimes into regularly spaced date or datetime intervals</i> |
|----------|---|

Description

time_breaks and time_cut() are very useful for plotting with dates and date-times as the breaks are of regular width.

Usage

```
time_cut(
  x,
  n = 5,
  time_by = NULL,
  from = NULL,
  to = NULL,
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1),
  time_type = getOption("timeplyr.time_type", "auto"),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA"),
  as_interval = getOption("timeplyr.use_intervals", FALSE)
)
```

```
time_breaks(
  x,
  n = 5,
  time_by = NULL,
  from = NULL,
  to = NULL,
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1),
  time_type = getOption("timeplyr.time_type", "auto"),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA")
)
```

Arguments

| | |
|---------|--|
| x | Time variable. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr. |
| n | Number of breaks. |
| time_by | Time unit. Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g time_by = "days" or time_by = "2 weeks" |

| | |
|--------------------------|--|
| | <ul style="list-style-type: none"> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| <code>from</code> | Time series start date. |
| <code>to</code> | Time series end date. |
| <code>time_floor</code> | Logical. Should the initial date/datetime be floored before building the sequence? |
| <code>week_start</code> | day on which week starts following ISO conventions - 1 means Monday (default), 7 means Sunday. This is only used when <code>time_floor = TRUE</code> . |
| <code>time_type</code> | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| <code>roll_month</code> | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See <code>?timechange::time_add</code> for more details. |
| <code>roll_dst</code> | See <code>?timechange::time_add</code> for the full list of details. |
| <code>as_interval</code> | Should result be a <code>time_interval</code> ? Default is <code>FALSE</code> . This can be controlled globally through <code>options(timeplyr.use_intervals)</code> . |

Details

To retrieve regular time breaks that simply spans the range of `x`, use `time_seq()` or `time_aggregate()`. This can also be achieved in `time_cut()` by supplying `n = Inf`.

By default `time_cut()` will try to find the prettiest way of cutting the interval by trying to cut the date/date-times into groups of the highest possible time units, starting at years and ending at milliseconds.

When `x` is a numeric vector, `time_cut` will behave similar to `time_cut` except for 3 things:

- The intervals are all right-open and of equal width.
- The left value of the leftmost interval is always `min(x)`.
- Up to `n` breaks are created, i.e. `<= n` breaks. This is to prioritise pretty breaks.

`time_cut` is a generalisation of `time_summarisev` such that the below identity should always hold:

```
identical(time_cut(x, n = Inf, as_factor = FALSE), time_summarisev(x))
```

Or also:

```
breaks <- time_breaks(x, n = Inf)
identical(breaks[unclass(time_cut(x, n = Inf))], time_summarisev(x))
```

Value

`time_breaks` returns a vector of breaks.

`time_cut` returns either a factor, `time_interval` or a vector the same class as `x`.

Examples

```

library(timeplyr)
library(lubridate)
library(ggplot2)
library(dplyr)

time_cut(1:10, n = 5)
# Easily create custom time breaks
df <- nycflights13::flights %>%
  fslice_sample(n = 10, seed = 8192821) %>%
  select(time_hour) %>%
  farrange(time_hour) %>%
  mutate(date = as_date(time_hour))

# time_cut() and time_breaks() automatically find a
# suitable way to cut the data
options(timeplyr.use_intervals = TRUE)
time_cut(df$date)
# Works with datetimes as well
time_cut(df$time_hour, n = 5) # <= 5 breaks
# Custom formatting
options(timeplyr.interval_sub_formatter =
  function(x) format(x, format = "%Y %b"))
time_cut(df$date, time_by = "month")
# Just the breaks
time_breaks(df$date, n = 5, time_by = "month")

cut_dates <- time_cut(df$date)
date_breaks <- time_breaks(df$date)

# When n = Inf and as_factor = FALSE, it should be equivalent to using
# time_aggregate or time_summarisev
identical(time_cut(df$date, n = Inf, time_by = "month"),
  time_summarisev(df$date, time_by = "month"))
identical(time_summarisev(df$date, time_by = "month"),
  time_aggregate(df$date, time_by = "month"))

# To get exact breaks at regular intervals, use time_expandv
weekly_breaks <- time_expandv(df$date,
  time_by = "5 weeks",
  week_start = 1, # Monday
  time_floor = TRUE)
weekly_labels <- format(weekly_breaks, "%b-%d")
df %>%
  time_by(date, time_by = "week", .name = "date") %>%
  count() %>%
  mutate(date = interval_start(date)) %>%
  ggplot(aes(x = date, y = n)) +
  geom_bar(stat = "identity") +
  scale_x_date(breaks = weekly_breaks,
    labels = weekly_labels)
reset_timeplyr_options()

```

| | |
|-----------|--|
| time_diff | <i>Time differences by any time unit</i> |
|-----------|--|

Description

The time difference between 2 date or date-time vectors.

Usage

```
time_diff(
  x,
  y,
  time_by = 1L,
  time_type = getOption("timeplyr.time_type", "auto")
)
```

Arguments

| | |
|-----------|--|
| x | Start date or datetime. |
| y | End date or datetime. |
| time_by | Must be one of the three (Default is 1): <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| time_type | Time difference type: "auto", "duration" or "period". |

Details

When `time_by` is a numeric vector, e.g. `time_by = 1` then base arithmetic using `base::`-`` is used, otherwise 'lubridate' style durations and periods are used. Some more exotic time units such as quarters, fortnights, etcetera can be specified. See `.time_units` for more choices.

Value

A numeric vector recycled to the length of `max(length(x), length(y))`.

Examples

```

library(timeplyr)
library(lubridate)

time_diff(today(), today() + days(10),
           time_by = "days")
time_diff(today(), today() + days((0:3) * 7),
           time_by = weeks(1))
time_diff(today(), today() + days(100),
           time_by = list("days" = 1:100))
time_diff(1, 1 + 0:100, time_by = 3)

library(nycflights13)
library(bench)

# Period differences are much faster
# check = FALSE because the results are fractionally different.
# lubridate::adjust_estimate likely has a typo in the first while loop

mark(timeplyr = time_diff(flights$time_hour, today(), "weeks", time_type = "period"),
      lubridate = interval(flights$time_hour, today()) / weeks(1),
      check = FALSE)

```

time_elapsed

*Fast grouped time elapsed***Description**

Calculate how much time has passed on a rolling or cumulative basis.

Usage

```

time_elapsed(
  x,
  time_by = NULL,
  g = NULL,
  time_type = getOption("timeplyr.time_type", "auto"),
  rolling = TRUE,
  fill = NA,
  na_skip = TRUE
)

```

Arguments

x Time variable.
Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr.

| | |
|-----------|--|
| time_by | <p>Must be one of the three:</p> <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| g | Object to be used for grouping <code>x</code> , passed onto <code>collapse::GRP()</code> . |
| time_type | Time type, either "auto", "duration" or "period". With larger data, it is recommended to use <code>time_type = "duration"</code> for speed and efficiency. |
| rolling | <p>If TRUE (the default) then lagged time differences are calculated on a rolling basis, essentially like <code>diff()</code>.</p> <p>If FALSE then time differences compared to the index (first) time are calculated.</p> |
| fill | When <code>rolling = TRUE</code> , this is the value that fills the first elapsed time. The default is NA. |
| na_skip | Should NA values be skipped? Default is TRUE. |

Details

`time_elapsed()` is quite efficient when there are many groups, especially if your data is sorted in order of those groups. In the case that `g` is supplied, it is most efficient when your data is sorted by `g`. When `na_skip` is TRUE and `rolling` is also TRUE, NA values are simply skipped and hence the time differences between the current value and the previous non-NA value are calculated. For example, `c(3, 4, 6, NA, NA, 9)` becomes `c(NA, 1, 2, NA, NA, 3)`.

When `na_skip` is TRUE and `rolling` is FALSE, time differences between the current value and the first non-NA value of the series are calculated. For example, `c(NA, NA, 3, 4, 6, NA, 8)` becomes `c(NA, NA, 0, 1, 3, NA, 5)`.

Value

A numeric vector the same length as `x`.

Examples

```
library(timeplyr)
library(dplyr)
library(lubridate)

x <- time_seq(today(), length.out = 25, time_by = "3 days")
time_elapsed(x)
time_elapsed(x, rolling = FALSE, time_by = "day")

# Grouped example
set.seed(99)
# ~ 100k groups, 1m rows
x <- sample(time_seq_v2(20, today(), "day"), 10^6, TRUE)
g <- sample.int(10^5, 10^6, TRUE)
```

```
time_elapsed(x, time_by = "day", g = g)
```

time_episodes

Episodic calculation of time-since-event data

Description

This function assigns episodes to events based on a pre-defined threshold of a chosen time unit.

Usage

```
time_episodes(
  data,
  time,
  time_by = NULL,
  window = 1,
  roll_episode = TRUE,
  switch_on_boundary = TRUE,
  fill = 0,
  .add = FALSE,
  event = NULL,
  time_type = getOption("timeplyr.time_type", "auto"),
  .by = NULL
)
```

Arguments

| | |
|---------|--|
| data | A data frame. |
| time | Date or datetime variable to use for the episode calculation. Supply the variable using <code>tidyselect</code> notation. |
| time_by | Time units used to calculate episode flags. If <code>time_by</code> is <code>NULL</code> then a heuristic will try and estimate the highest order time unit associated with the time variable. If specified, then <code>by</code> must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g <code>time_by = 1</code>. |
| window | Single number defining the episode threshold. When <code>rolling = TRUE</code> events with a <code>t_elapsed</code> \geq <code>window</code> since the last event are defined as a new episode. When <code>rolling = FALSE</code> events with a <code>t_elapsed</code> \geq <code>window</code> since the first event of the corresponding episode are defined as a new episode. By default, <code>window = 1</code> which assigns every event to a new episode. |

| | |
|--------------------|--|
| roll_episode | <p>Logical. Should episodes be calculated using a rolling or fixed window? If TRUE (the default), an amount of time must have passed (\geq window) since the last event, with each new event effectively resetting the time at which you start counting.</p> <p>If FALSE, the elapsed time is fixed and new episodes are defined based on how much cumulative time has passed since the first event of each episode.</p> |
| switch_on_boundary | <p>When an exact amount of time (specified in <code>time_by</code>) has passed, should there be an increment in ID?</p> <p>The default is TRUE.</p> <p>For example, if <code>time_by = "days"</code> and <code>switch_on_boundary = FALSE</code>, > 1 day must have passed, otherwise ≥ 1 day must have passed.</p> |
| fill | <p>Value to fill first time elapsed value. Only applicable when <code>roll_episode = TRUE</code>.</p> <p>Default is \emptyset.</p> |
| .add | <p>Should episodic variables be added to the data?</p> <p>If FALSE (the default), then only the relevant variables are returned.</p> <p>If TRUE, the episodic variables are added to the original data. In both cases, the order of the data is unchanged.</p> |
| event | <p>(Optional) List that encodes which rows are events, and which aren't. By default <code>time_episodes()</code> assumes every observation (row) is an event but this need not be the case.</p> <p><code>event</code> must be a named list of length 1 where the values of the list element represent the event. For example, if your events were coded as 0 and 1 in a variable named "evt" where 1 represents the event, you would supply <code>event = list(evt = 1)</code>.</p> |
| time_type | <p>Time type, either "auto", "duration" or "period". With larger data, it is recommended to use <code>time_type = "duration"</code> for speed and efficiency.</p> |
| .by | <p>(Optional). A selection of columns to group by for this operation. Columns are specified using <code>tidyselect</code>.</p> |

Details

`time_episodes()` calculates the time elapsed (rolling or fixed) between successive events, and flags these events as episodes or not based on how much time has passed.

An example of episodic analysis can include disease infections over time.

In this example, a positive test result represents an **event** and a new infection represents a new **episode**.

It is assumed that after a pre-determined amount of time, a positive result represents a new episode of infection.

To perform simple time-since-event analysis, which means one is not interested in episodes, simply use `time_elapsed()` instead.

To find implicit missing gaps in time, set `window` to 1 and `switch_on_boundary` to FALSE. Any event classified as an episode in this scenario is an event following a gap in time.

The data are always sorted before calculation and then sorted back to the input order.

4 Key variables will be calculated:

- **ep_id** - An integer variable signifying which episode each event belongs to. Non-events are assigned NA. ep_id is an increasing integer starting at 1. In the infections scenario, 1 are positives within the first episode of infection, 2 are positives within the second episode of infection and so on.
- **ep_id_new** - An integer variable signifying the first instance of each new episode. This is an increasing integer where 0 signifies within-episode observations and ≥ 1 signifies the first instance of the respective episode.
- **t_elapsed** - The time elapsed since the last event. When `roll_episode = FALSE`, this becomes the time elapsed since the first event of the current episode. Time units are specified in the `by` argument.
- **ep_start** - Start date/datetime of the episode.

`data.table` and `collapse` are used for speed and efficiency.

Value

A `data.frame` in the same order as it was given.

See Also

[time_elapsed](#) [time_seq_id](#)

Examples

```
library(timeplyr)
library(dplyr)
library(nycflights13)
library(lubridate)
library(ggplot2)

# Say we want to flag origin-destination pairs
# that haven't seen departures or arrivals for a week

events <- flights %>%
  mutate(date = as_date(time_hour)) %>%
  group_by(origin, dest) %>%
  time_episodes(date, time_by = "week", window = 1)

# The pooled average time between flights of a specific origin and destination
# is ~ 5.2 hours
# This average is a weighted average of average time between events
# Weighted by the frequency of origin-destination groups (pairs)

# It can be calculated like so:
# flights %>%
#   arrange(origin, dest, time_hour) %>%
#   group_by(origin, dest) %>%
#   mutate(time_diff = time_diff(lag(time_hour), time_hour, "hours")) %>%
#   summarise(n = n(),
#             mean = mean(time_diff, na.rm = TRUE)) %>%
#   ungroup() %>%
```

```

# summarise(pooled_mean = weighted.mean(mean, n, na.rm = TRUE))

events

episodes <- events %>%
  filter(ep_id_new > 1)
nrow(fdistinct(episodes, origin, dest)) # 55 origin-destinations

# As expected summer months saw the least number of
# dry-periods
episodes %>%
  ungroup() %>%
  time_by(ep_start, time_by = "week",
         .name = "ep_start") %>%
  count() %>%
  ggplot(aes(x = ep_start, y = n)) +
  geom_bar(stat = "identity")

```

time_expand

A time based extension to tidyr::complete().

Description

A time based extension to `tidyr::complete()`.

Usage

```

time_expand(
  data,
  time = NULL,
  ...,
  .by = NULL,
  time_by = NULL,
  from = NULL,
  to = NULL,
  time_type = getOption("timeplyr.time_type", "auto"),
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1),
  expand_type = c("nesting", "crossing"),
  sort = TRUE,
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA")
)

time_complete(
  data,
  time = NULL,

```

```

    ...,
    .by = NULL,
    time_by = NULL,
    from = NULL,
    to = NULL,
    time_type = getOption("timeplyr.time_type", "auto"),
    time_floor = FALSE,
    week_start = getOption("lubridate.week.start", 1),
    expand_type = c("nesting", "crossing"),
    sort = TRUE,
    fill = NA,
    roll_month = getOption("timeplyr.roll_month", "preday"),
    roll_dst = getOption("timeplyr.roll_dst", "NA")
  )

```

Arguments

| | |
|-------------|---|
| data | A data frame. |
| time | Time variable. |
| ... | Groups to expand. |
| .by | (Optional). A selection of columns to group by for this operation. Columns are specified using tidy-select. |
| time_by | Time unit. Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| from | Time series start date. |
| to | Time series end date. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| time_floor | Should <code>from</code> be floored to the nearest unit specified through the <code>time_by</code> argument? This is particularly useful for starting sequences at the beginning of a week or month for example. |
| week_start | day on which week starts following ISO conventions - 1 means Monday (default), 7 means Sunday. This is only used when <code>floor_date = TRUE</code> . |
| expand_type | Type of time expansion to use where "nesting" finds combinations already present in the data, "crossing" finds all combinations of values in the group variables. |
| sort | Logical. If TRUE expanded/completed variables are sorted. |

| | |
|------------|--|
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See <code>?timechange::time_add</code> for more details. |
| roll_dst | See <code>?timechange::time_add</code> for the full list of details. |
| fill | A named list containing value-name pairs to fill the named implicit missing values. |

Details

This works much the same as `tidyr::complete()`, except that you can supply an additional `time` argument to allow for filling in time gaps, expansion of time, as well as aggregating time to a higher unit. `lubridate` is used for handling time, while `data.table` and `collapse` are used for the data frame expansion.

At the moment, within group combinations are ignored. This means when `expand_type = nesting`, existing combinations of supplied groups across the entire dataset are used, and when `expand_type = crossing`, all possible combinations of supplied groups across the **entire** dataset are used as well.

Value

A `data.frame` of expanded time by or across groups.

Examples

```
library(timeplyr)
library(dplyr)
library(lubridate)
library(nycflights13)

x <- flights$time_hour

time_num_gaps(x) # Missing hours

flights_count <- flights %>%
  fcount(time_hour)

# Fill in missing hours
flights_count %>%
  time_complete(time = time_hour)

# You can specify units too
flights_count %>%
  time_complete(time = time_hour, time_by = "hours")
flights_count %>%
  time_complete(time = as_date(time_hour), time_by = "days") # Nothing to complete here

# Where time_expand() and time_complete() really shine is how fast they are with groups
flights %>%
  group_by(origin, dest) %>%
  time_expand(time = time_hour, time_by = dweeks(1))
```

`time_expandv`*Vector date and datetime functions*

Description

These are atomic vector-based functions of the tidy equivalents which all have a "v" suffix to denote this. These are more geared towards programmers and allow for working with date and datetime vectors.

Usage

```
time_expandv(  
  x,  
  time_by = NULL,  
  from = NULL,  
  to = NULL,  
  g = NULL,  
  use.g.names = TRUE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  time_floor = FALSE,  
  week_start = getOption("lubridate.week.start", 1),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)  
  
time_span(  
  x,  
  time_by = NULL,  
  from = NULL,  
  to = NULL,  
  g = NULL,  
  use.g.names = TRUE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  time_floor = FALSE,  
  week_start = getOption("lubridate.week.start", 1),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)  
  
time_completev(  
  x,  
  time_by = NULL,  
  from = NULL,  
  to = NULL,  
  sort = TRUE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  time_floor = FALSE,
```

```
week_start = getOption("lubridate.week.start", 1),
roll_month = getOption("timeplyr.roll_month", "preday"),
roll_dst = getOption("timeplyr.roll_dst", "NA")
)

time_summarisev(
  x,
  time_by = NULL,
  from = NULL,
  to = NULL,
  sort = FALSE,
  unique = FALSE,
  time_type = getOption("timeplyr.time_type", "auto"),
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA"),
  as_interval = getOption("timeplyr.use_intervals", FALSE)
)

time_countv(
  x,
  time_by = NULL,
  from = NULL,
  to = NULL,
  sort = TRUE,
  unique = TRUE,
  complete = FALSE,
  time_type = getOption("timeplyr.time_type", "auto"),
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA"),
  as_interval = getOption("timeplyr.use_intervals", FALSE)
)

time_span_size(
  x,
  time_by = NULL,
  from = NULL,
  to = NULL,
  g = NULL,
  use.g.names = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  time_floor = FALSE,
  week_start = getOption("lubridate.week.start", 1)
)
```

Arguments

| | |
|-------------|--|
| x | Time variable. Can be a Date, POSIXt, numeric, integer, yearmon, yearqtr, year_month or year_quarter. |
| time_by | Time unit. Must be one of the following: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. time_by = "days" or time_by = "2 weeks" • named list of length one, the unit being the name, and the number the value of the list, e.g. list("days" = 7). For the vectorized time functions, you can supply multiple values, e.g. list("days" = 1:10). • Numeric vector. If time_by is a numeric vector and x is not a date/datetime, then arithmetic is used, e.g. time_by = 1. |
| from | Time series start date. |
| to | Time series end date. |
| g | Grouping object passed directly to collapse::GRP(). This can for example be a vector or data frame. |
| use.g.names | Should the result include group names? Default is TRUE. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| time_floor | Should from be floored to the nearest unit specified through the time_by argument? This is particularly useful for starting sequences at the beginning of a week or month for example. |
| week_start | day on which week starts following ISO conventions - 1 means Monday (default), 7 means Sunday. This is only used when time_floor = TRUE. |
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See ?timechange::time_add for more details. |
| roll_dst | See ?timechange::time_add for the full list of details. |
| sort | Should the output be sorted? Default is TRUE. |
| unique | Should the result be unique or match the length of the vector? Default is TRUE. |
| as_interval | Should result be a time_interval? Default is FALSE. This can be controlled globally through options(timeplyr.use_intervals). |
| complete | Logical. If TRUE implicit gaps in time are filled before counting and after time aggregation (controlled using time_by). The default is FALSE. |

Value

Vectors (typically the same class as x) of varying lengths depending on the arguments supplied. time_countv() returns a tibble.

Examples

```

library(timeplyr)
library(dplyr)
library(lubridate)
library(nycflights13)

x <- unique(flights$time_hour)

# Number of missing hours
time_num_gaps(x)

# Same as above
time_span_size(x) - length(unique(x))

# Time sequence that spans the data
length(time_span(x)) # Automatically detects hour granularity
time_span(x, time_by = "month")
time_span(x, time_by = list("quarters" = 1),
          to = today(),
          # Floor start of sequence to nearest month
          time_floor = TRUE)

# Complete missing gaps in time using time_completev
y <- time_completev(x, time_by = "hour")
identical(y[!y %in% x], time_gaps(x))

# Summarise time using time_summarisev
time_summarisev(y, time_by = "quarter")
time_summarisev(y, time_by = "quarter", unique = TRUE)
flights %>%
  fcount(quarter = time_summarisev(time_hour, "quarter"))
# Alternatively
time_countv(flights$time_hour, time_by = "quarter")
# If you want the above as an atomic vector just use tibble::deframe

```

time_gaps

Gaps in a regular time sequence

Description

time_gaps() checks for implicit missing gaps in time for any regular date or datetime sequence.

Usage

```

time_gaps(
  x,
  time_by = NULL,
  g = NULL,

```

```

    use.g.names = TRUE,
    time_type = getOption("timeplyr.time_type", "auto"),
    check_time_regular = FALSE
  )

time_num_gaps(
  x,
  time_by = NULL,
  g = NULL,
  use.g.names = TRUE,
  na.rm = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  check_time_regular = FALSE
)

time_has_gaps(
  x,
  time_by = NULL,
  g = NULL,
  use.g.names = TRUE,
  na.rm = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  check_time_regular = FALSE
)

```

Arguments

| | |
|--------------------|---|
| x | A date, datetime or numeric vector. |
| time_by | Time unit. Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| g | Grouping object passed directly to <code>collapse::GRP()</code> . This can for example be a vector or data frame. |
| use.g.names | Should the result include group names? Default is TRUE. |
| time_type | Time type, either "auto", "duration" or "period". With larger data, it is recommended to use <code>time_type = "duration"</code> for speed and efficiency. |
| check_time_regular | Should the time vector be checked to see if it is regular (with or without gaps)? Default is FALSE. |
| na.rm | Should NA values be removed? Default is TRUE. |

Details

When `check_time_regular` is `TRUE`, `x` is passed to `time_is_regular`, which checks that the time elapsed between successive values are in increasing order and are whole numbers. For more strict checks, see `?time_is_regular`.

Value

`time_gaps` returns a vector of time gaps.

`time_num_gaps` returns the number of time gaps.

`time_has_gaps` returns a `logical(1)` of whether there are gaps.

Examples

```
library(timeplyr)
library(dplyr)
library(lubridate)
library(nycflights13)

missing_dates(flights$time_hour)
time_has_gaps(flights$time_hour)
time_num_gaps(flights$time_hour)
time_gaps(flights$time_hour)
time_num_gaps(flights$time_hour, g = flights$origin)

# Number of missing hours by origin and dest
flights %>%
  group_by(origin, dest) %>%
  summarise(n_missing = time_num_gaps(time_hour, "hours"))
```

time_gcd_diff

Fast greatest common divisor of time differences

Description

Fast greatest common divisor of time differences

Usage

```
time_gcd_diff(
  x,
  time_by = NULL,
  time_type = getOption("timeplyr.time_type", "auto"),
  tol = sqrt(.Machine$double.eps)
)
```

Arguments

| | |
|-----------|--|
| x | Time variable. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr. |
| time_by | Time unit. Must be one of the following: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. time_by = "days" or time_by = "2 weeks" • named list of length one, the unit being the name, and the number the value of the list, e.g. list("days" = 7). For the vectorized time functions, you can supply multiple values, e.g. list("days" = 1:10). • Numeric vector. If time_by is a numeric vector and x is not a date/datetime, then arithmetic is used, e.g. time_by = 1. |
| time_type | If "auto", periods are used if x is a Date and durations are used if x is a datetime. Otherwise numeric differences are calculated. |
| tol | Numeric tolerance for gcd algorithm. |

Value

A list of length 1.

Examples

```
library(timeplyr)
library(lubridate)
library(cppdoubles)

time_gcd_diff(1:10)
time_gcd_diff(seq(0, 1, 0.2))

time_gcd_diff(time_seq(today(), today() + 100, time_by = "3 days"))
time_gcd_diff(time_seq(now(), len = 10^2, time_by = "125 seconds"))

# Monthly gcd using lubridate periods
quarter_seq <- time_seq(today(), len = 24, time_by = months(4))
time_gcd_diff(quarter_seq, time_by = months(1), time_type = "period")
time_gcd_diff(quarter_seq, time_by = "months", time_type = "duration")

# Detects monthly granularity
double_equal(time_gcd_diff(as.vector(time(AirPassengers))), 1/12)
```

time_ggplot

Quick time-series ggplot

Description

time_ggplot() is a neat way to quickly plot aggregate time-series data.

Usage

```
time_ggplot(  
  data,  
  time,  
  value,  
  group = NULL,  
  facet = FALSE,  
  geom = ggplot2::geom_line,  
  ...  
)
```

Arguments

| | |
|-------|---|
| data | A data frame |
| time | Time variable using tidymselect. |
| value | Value variable using tidymselect. |
| group | (Optional) Group variable using tidymselect. |
| facet | When groups are supplied, should multi-series be plotted separately or on the same plot? Default is FALSE, or together. |
| geom | ggplot2 'geom' type. Default is geom_line(). |
| ... | Further arguments passed to the chosen 'geom'. |

Value

A ggplot.

See Also

[ts_as_tibble](#)

Examples

```
library(dplyr)  
library(timeplyr)  
library(ggplot2)  
library(lubridate)  
  
# It's as easy as this  
AirPassengers %>%  
  ts_as_tibble() %>%  
  time_ggplot(time, value)  
  
# And this  
EuStockMarkets %>%  
  ts_as_tibble() %>%  
  time_ggplot(time, value, group)  
  
# zoo example
```



```

x.Date <- as.Date("2003-02-01") + c(1, 3, 7, 9, 14) - 1
x <- zoo::zoo(rnorm(5), x.Date)
x %>%
  ts_as_tibble() %>%
  time_ggplot(time, value)

# An example using raw data

ebola <- outbreaks::ebola_sim$linelist

# We can build a helper to count and complete
# Using the same time grid

count_and_complete <- function(.data, time, .name,
                               from = NULL, ...,
                               time_by = NULL){
  .data %>%
    time_by(!dplyr::enquo(time), time_by = time_by,
            .name = .name, from = !dplyr::enquo(from)) %>%
    dplyr::count(...) %>%
    dplyr::ungroup() %>%
    time_complete(.data[[.name]], ..., time_by = time_by,
                  fill = list(n = 0))
}
ebola %>%
  count_and_complete(date_of_onset, outcome, time_by = "week", .name = "date_of_onset",
                     from = floor_date(min(date_of_onset), "week")) %>%
  time_ggplot(date_of_onset, n, geom = geom_blank) +
  geom_col(aes(fill = outcome))

```

time_id

Time ID

Description

Generate a time ID that signifies how many time steps away a time value is from the starting time point or more intuitively, this is the time passed since the first time point.

Usage

```

time_id(
  x,
  time_by = NULL,
  g = NULL,
  na_skip = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  shift = 1L
)

```

Arguments

| | |
|-----------|---|
| x | Time variable. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr. |
| time_by | Time unit. This signifies the granularity of the time data with which to measure gaps in the sequence. If your data is daily for example, supply <code>time_by = "days"</code> . If weekly, supply <code>time_by = "week"</code> . Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| g | Object used for grouping <code>x</code> . This can for example be a vector or data frame. <code>g</code> is passed directly to <code>collapse::GRP()</code> . |
| na_skip | Should NA values be skipped? Default is TRUE. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |
| shift | Value used to shift the time IDs. Typically this is 1 to ensure the IDs start at 1 but can be 0 or even negative if for example your time values are going backwards in time. |

Details

This is heavily inspired by `collapse::timeid` but differs in 3 ways:

- The time steps need not be the greatest common divisor of successive differences
- The starting time point may not necessarily be the earliest chronologically and thus `time_id` can generate negative IDs.
- `g` can be supplied to calculate IDs by group.

`time_id(c(3, 2, 1))` is not the same as `collapse::timeid(c(3, 2, 1))`. In general `time_id(sort(x))` should be equal to `collapse::timeid(sort(x))`. The time difference GCD is always calculated using all the data and not by-group.

Value

An integer vector the same length as `x`.

See Also

[time_elapsed](#) [time_seq_id](#)

| | |
|---------------|---|
| time_interval | <i>S3-based Time Intervals (Currently very experimental and so subject to change)</i> |
|---------------|---|

Description

Inspired by both 'lubridate' and 'ivs', time_interval is a 'vctrs' style class for right-open intervals that contain a vector of start dates and end dates.

Usage

```
time_interval(start = integer(), end = integer())
```

```
is_time_interval(x)
```

Arguments

| | |
|-------|---|
| start | Start time. Can be a Date, POSIXt, numeric, integer, yearmon, yearqtr, year_month or year_quarter. |
| end | End time. Can be a Date, POSIXt, numeric, integer, yearmon, yearqtr, year_month or year_quarter. |
| x | A 'time_interval'. |

Details

In the near-future, all time aggregated variables will utilise these intervals. One can control the appearance of the intervals through the "timeplyr.interval_style" option. For example:

```
options(timeplyr.interval_style = "full") - Full interval format. options(timeplyr.interval_style = "start") - Start time of the interval. options(timeplyr.interval_style = "end") - end time of the interval.
```

Representing time using intervals is natural because when one talks about a day or an hour, they are implicitly referring to an interval of time. Even a unit as small as a second is just an interval and therefore base R objects like Dates and POSIXcts are also intervals.

Value

An object of class time_interval.
is_time_interval returns a logical of length 1.
interval_start returns the start times.
interval_end returns the end times.
interval_count returns a data frame of unique intervals and their counts.

See Also[interval_start](#)**Examples**

```

library(dplyr)
library(timeplyr)
library(lubridate)

x <- 1:10
int <- time_interval(x, 100)
options(timeplyr.interval_style = "full")
int

# Displaying the start or end values of the intervals
format(int, "start")
format(int, "end")

month_start <- floor_date(today(), unit = "months")
month_int <- time_interval(month_start, month_start + months(1))
month_int
# Custom format function for start and end dates
format(month_int, interval_sub_formatter =
  function(x) format(x, format = "%Y/%B"))
format(month_int, interval_style = "start",
  interval_sub_formatter = function(x) format(x, format = "%Y/%B"))

# Advanced formatting

# As shown above, we can specify formatting functions for the dates
# in our intervals
# Sometimes it's useful to set a default function

options(timeplyr.interval_sub_formatter =
  function(x) format(x, format = "%b %Y"))
month_int

# Divide an interval into different time units
time_interval(today(), today() + years(0:10)) / "years"
time_interval(today(), today() + dyears(0:10)) / ddays(365.25)
time_interval(today(), today() + years(0:10)) / "months"
time_interval(today(), today() + years(0:10)) / "weeks"
time_interval(today(), today() + years(0:10)) / "7 days"
time_interval(today(), today() + years(0:10)) / "24 hours"
time_interval(today(), today() + years(0:10)) / "minutes"
time_interval(today(), today() + years(0:10)) / "seconds"
time_interval(today(), today() + years(0:10)) / "milliseconds"

# Cutting Sepal Length into blocks of width 1
int <- time_aggregate(iris$Sepal.Length, time_by = 1, as_interval = TRUE)
int %>%
  interval_count()

```

```
reset_timeplyr_options()
```

| | |
|-----------------|---|
| time_is_regular | <i>Is time a regular sequence? (Experimental)</i> |
|-----------------|---|

Description

This function is a fast way to check if a time vector is a regular sequence, possibly for many groups. Regular in this context means that the lagged time differences are a whole multiple of the specified time unit.

This means x can be a regular sequence with or without gaps in time.

Usage

```
time_is_regular(
  x,
  time_by = NULL,
  g = NULL,
  use.g.names = TRUE,
  na.rm = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  allow_gaps = TRUE,
  allow_dups = TRUE
)
```

Arguments

| | |
|--------------------------|---|
| <code>x</code> | A vector. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr. |
| <code>time_by</code> | Time unit. Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| <code>g</code> | Grouping object passed directly to <code>collapse::GRP()</code> . This can for example be a vector or data frame. Note that when <code>g</code> is supplied the output is a logical with length matching the number of unique groups. |
| <code>use.g.names</code> | Should the result include group names? Default is TRUE. |
| <code>na.rm</code> | Should NA values be removed before calculation? Default is TRUE. |

| | |
|-------------------------|---|
| <code>time_type</code> | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. If durations are used the output is always of class POSIXt. |
| <code>allow_gaps</code> | Should gaps be allowed? Default is TRUE. |
| <code>allow_dups</code> | Should duplicates be allowed? Default is TRUE. |

Value

A logical vector the same length as the number of supplied groups.

Examples

```
library(timeplyr)
library(lubridate)
library(dplyr)

x <- 1:5
y <- c(1, 1, 2, 3, 5)

time_is_regular(x)
time_is_regular(y)

increment <- 1

# No duplicates allowed
time_is_regular(x, increment, allow_dups = FALSE)
time_is_regular(y, increment, allow_dups = FALSE)

# No gaps allowed
time_is_regular(x, increment, allow_gaps = FALSE)
time_is_regular(y, increment, allow_gaps = FALSE)

# Grouped
eu_stock <- ts_as_tibble(EuStockMarkets)
eu_stock <- eu_stock %>%
  mutate(date = as_date(
    date_decimal(time)
  ))

time_is_regular(eu_stock$date, g = eu_stock$group,
  time_by = 1)
# This makes sense as no trading occurs on weekends and holidays
time_is_regular(eu_stock$date, g = eu_stock$group,
  time_by = 1,
  allow_gaps = FALSE)
```

| | |
|----------|---------------------------|
| time_lag | <i>Time-lagged values</i> |
|----------|---------------------------|

Description

Time-lagged values

Usage

```
time_lag(
  x,
  k = 1L,
  time = seq_along(x),
  g = NULL,
  time_type = getOption("timeplyr.time_type", "auto"),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA")
)
```

Arguments

| | |
|------------|--|
| x | Vector. |
| k | Lag size, must be one of the following: <ul style="list-style-type: none"> • string, e.g. "day" or "2 weeks" • lubridate duration or period object, e.g. days(1) or ddays(1). • named list of length one, e.g. list("days" = 7). • Numeric vector, e.g. 7. |
| time | (Optional) time index. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr vector. |
| g | Grouping object passed directly to collapse::GRP(). This can for example be a vector or data frame. |
| time_type | If "auto", periods are used for the time expansion when lubridate periods are specified or when days, weeks, months or years are specified, and durations are used otherwise. |
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See ?timechange::time_add for more details. |
| roll_dst | See ?timechange::time_add for the full list of details. |

Value

A vector of length(x) lagged by a specified time unit.

Examples

```

library(timeplyr)

x <- 1:10
t <- time_seq(Sys.Date(), len = 10, time_by = "3 days")

dplyr::lag(x)
time_lag(x)
time_lag(x, time = t, k = "3 days")

# No values exist at t-1 days
time_lag(x, time = t, k = 1)

```

| | |
|---------------|---|
| time_roll_sum | <i>Fast time-based by-group rolling sum/mean - Currently experimental</i> |
|---------------|---|

Description

time_roll_sum and time_roll_mean are efficient methods for calculating a rolling sum and mean respectively given many groups and with respect to a date or datetime time index.

It is always aligned "right".

time_roll_window splits x into windows based on the index.

time_roll_window_size returns the window sizes for all indices of x.

time_roll_apply is a generic function that applies any function on a rolling basis with respect to a time index.

time_roll_growth_rate can efficiently calculate by-group rolling growth rates with respect to a date/datetime index.

Usage

```

time_roll_sum(
  x,
  window = Inf,
  time = seq_along(x),
  weights = NULL,
  g = NULL,
  partial = TRUE,
  close_left_boundary = FALSE,
  na.rm = TRUE,
  time_type = getOption("timeplyr.time_type", "auto"),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA"),
  ...
)

```



```
time_roll_mean(  
  x,  
  window = Inf,  
  time = seq_along(x),  
  weights = NULL,  
  g = NULL,  
  partial = TRUE,  
  close_left_boundary = FALSE,  
  na.rm = TRUE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA"),  
  ...  
)  
  
time_roll_growth_rate(  
  x,  
  window = Inf,  
  time = seq_along(x),  
  time_step = NULL,  
  g = NULL,  
  partial = TRUE,  
  close_left_boundary = FALSE,  
  na.rm = TRUE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)  
  
time_roll_window_size(  
  time,  
  window = Inf,  
  g = NULL,  
  partial = TRUE,  
  close_left_boundary = FALSE,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)  
  
time_roll_window(  
  x,  
  window = Inf,  
  time = seq_along(x),  
  g = NULL,  
  partial = TRUE,  
  close_left_boundary = FALSE,  
  time_type = getOption("timeplyr.time_type", "auto"),
```

```

roll_month = getOption("timeplyr.roll_month", "preday"),
roll_dst = getOption("timeplyr.roll_dst", "NA")
)

time_roll_apply(
  x,
  window = Inf,
  fun,
  time = seq_along(x),
  g = NULL,
  partial = TRUE,
  unlist = FALSE,
  close_left_boundary = FALSE,
  time_type = getOption("timeplyr.time_type", "auto"),
  roll_month = getOption("timeplyr.roll_month", "preday"),
  roll_dst = getOption("timeplyr.roll_dst", "NA")
)

```

Arguments

| | |
|---------------------|--|
| x | Numeric vector. |
| window | Time window size (Default is Inf). Must be one of the following: <ul style="list-style-type: none"> • string, e.g. window = "day" or window = "2 weeks" • lubridate duration or period object, e.g. days(1) or ddays(1). • named list of length one, e.g. list("days" = 7). • Numeric vector, e.g. window = 7. |
| time | (Optional) time index. Can be a Date, POSIXt, numeric, integer, yearmon, or yearqtr vector. |
| weights | Importance weights. Must be the same length as x. Currently, no normalisation of weights occurs. |
| g | Grouping object passed directly to collapse::GRP(). This can for example be a vector or data frame. |
| partial | Should calculations be done using partial windows? Default is TRUE. |
| close_left_boundary | Should the left boundary be closed? For example, if you specify window = "day" and time = c(today(), today() + 1), a value of FALSE would result in the window vector c(1, 1) whereas a value of TRUE would result in the window vector c(1, 2). |
| na.rm | Should missing values be removed for the calculation? The default is TRUE. |
| time_type | If "auto", periods are used for the time expansion when lubridate periods are specified or when days, weeks, months or years are specified, and durations are used otherwise. |
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See ?timechange::time_add for more details. |

| | |
|-----------|--|
| roll_dst | See ?timechange::time_add for the full list of details. |
| ... | Additional arguments passed to data.table::frollmean and data.table::frollsum. |
| time_step | An optional but important argument that follows the same input rules as window. It is currently only used only in time_roll_growth_rate. If this is supplied, the time differences across gaps in time are incorporated into the growth rate calculation. See details for more info. |
| fun | A function. |
| unlist | Should the output of time_roll_apply be unlisted with unlist? Default is FALSE. |

Details

It is much faster if your data are already sorted such that !is.unsorted(order(g, x)) is TRUE.

Growth rates:

For growth rates across time, one can use time_step to incorporate gaps in time into the calculation.

For example:

```
x <- c(10, 20)
```

```
t <- c(1, 10)
```

```
k <- Inf
```

```
time_roll_growth_rate(x, time = t, window = k) = c(1, 2) whereas
```

```
time_roll_growth_rate(x, time = t, window = k, time_step = 1) = c(1, 1.08)
```

The first is a doubling from 10 to 20, whereas the second implies a growth of 8% for each time step from 1 to 10.

This allows us for example to calculate daily growth rates over the last x months, even with missing days.

Value

A vector the same length as time.

Examples

```
library(timeplyr)
library(lubridate)
library(dplyr)

time <- time_seq(today(), today() + weeks(3),
                 time_by = "3 days")

set.seed(99)
x <- sample.int(length(time))

roll_mean(x, window = 7)
roll_sum(x, window = 7)

time_roll_mean(x, window = ddays(7), time = time)
time_roll_sum(x, window = days(7), time = time)
```

```

# Alternatively and more verbosely
x_chunks <- time_roll_window(x, window = 7, time = time)
x_chunks
vapply(x_chunks, mean, 0)

# Interval (x - 3 x]
time_roll_sum(x, window = ddays(3), time = time)

# An example with an irregular time series

t <- today() + days(sort(sample(1:30, 20, TRUE)))
time_elapsed(t, days(1)) # See the irregular elapsed time
x <- rpois(length(t), 10)

tibble(x, t) %>%
  mutate(sum = time_roll_sum(x, time = t, window = days(3))) %>%
  time_ggplot(t, sum)

### Rolling mean example with many time series

# Sparse time with duplicates
index <- sort(sample(seq(now(), now() + dyears(3), by = "333 hours"),
                    250, TRUE))
x <- matrix(rnorm(length(index) * 10^3),
           ncol = 10^3, nrow = length(index),
           byrow = FALSE)

zoo_ts <- zoo::zoo(x, order.by = index)

# Normally you might attempt something like this
apply(x, 2,
      function(x){
        time_roll_mean(x, window = dmonths(1), time = index)
      }
)
# Unfortunately this is too slow and inefficient

# Instead we can pivot it longer and code each series as a separate group
tbl <- ts_as_tibble(zoo_ts)

tbl %>%
  mutate(monthly_mean = time_roll_mean(value, window = dmonths(1),
                                       time = time, g = group))

```

Description

Time based version of base::seq()

Usage

```
time_seq(  
  from,  
  to,  
  time_by,  
  length.out = NULL,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  week_start = getOption("lubridate.week.start", 1),  
  time_floor = FALSE,  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)  
  
time_seq_sizes(  
  from,  
  to,  
  time_by,  
  time_type = getOption("timeplyr.time_type", "auto")  
)  
  
time_seq_v(  
  from,  
  to,  
  time_by,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA"),  
  time_floor = FALSE,  
  week_start = getOption("lubridate.week.start", 1)  
)  
  
time_seq_v2(  
  sizes,  
  from,  
  time_by,  
  time_type = getOption("timeplyr.time_type", "auto"),  
  time_floor = FALSE,  
  week_start = getOption("lubridate.week.start", 1),  
  roll_month = getOption("timeplyr.roll_month", "preday"),  
  roll_dst = getOption("timeplyr.roll_dst", "NA")  
)
```

Arguments

| | |
|------------|---|
| from | Start date/datetime of sequence. |
| to | End date/datetime of sequence. |
| time_by | Time unit increment. Must be one of the three: <ul style="list-style-type: none"> • string, specifying either the unit or the number and unit, e.g. <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> • named list of length one, the unit being the name, and the number the value of the list, e.g. <code>list("days" = 7)</code>. For the vectorized time functions, you can supply multiple values, e.g. <code>list("days" = 1:10)</code>. • Numeric vector. If <code>time_by</code> is a numeric vector and <code>x</code> is not a date/datetime, then arithmetic is used, e.g. <code>time_by = 1</code>. |
| length.out | Length of the sequence. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. If durations are used the output is always of class POSIXt. |
| week_start | day on which week starts following ISO conventions - 1 means Monday (default), 7 means Sunday. This is only used when <code>time_floor = TRUE</code> . |
| time_floor | Should from be floored to the nearest unit specified through the <code>time_by</code> argument? This is particularly useful for starting sequences at the beginning of a week or month for example. |
| roll_month | Control how impossible dates are handled when month or year arithmetic is involved. Options are "preday", "boundary", "postday", "full" and "NA". See <code>?timechange::time_add</code> for more details. |
| roll_dst | See <code>?timechange::time_add</code> for the full list of details. |
| sizes | Time sequence sizes. |

Details

This works like `seq()`, but using `timechange` for the period calculations and `base::seq.POSIXT()` for the duration calculations. In many ways it is improved over `seq` as dates and/or datetimes can be supplied with no errors to the start and end points. Examples like, `time_seq(now(), length.out = 10, by = "0.5 days", seq_type = "dur")` and `time_seq(today(), length.out = 10, by = "0.5 days", seq_type = "dur")` produce more expected results compared to `seq(now(), length.out = 10, by = "0.5 days")` or `seq(today(), length.out = 10, by = "0.5 days")`.

For a vectorized implementation with multiple start/end times, use `time_seq_v()/time_seq_v2()` `time_seq_sizes()` is a convenience function to calculate time sequence lengths, given start/end times.

Value

time_seq returns a time sequence.
time_seq_sizes returns an integer vector of sequence sizes.
time_seq_v returns time sequences.
time_seq_v2 also returns time sequences.

See Also

[seq_id](#) [time_seq_id](#)

Examples

```
library(timeplyr)
library(lubridate)

# Dates
today <- today()
now <- now()

time_seq(today, today + years(1), time_by = "day")
time_seq(today, length.out = 10, time_by = "day")
time_seq(today, length.out = 10, time_by = "hour")

time_seq(today, today + years(1), time_by = list("days" = 1)) # Alternative
time_seq(today, today + years(1), time_by = "week")
time_seq(today, today + years(1), time_by = "fortnight")
time_seq(today, today + years(1), time_by = "year")
time_seq(today, today + years(10), time_by = "year")
time_seq(today, today + years(100), time_by = "decade")

# Datetimes
time_seq(now, now + years(1), time_by = "12 hours")
time_seq(now, now + years(1), time_by = "day")
time_seq(now, now + years(1), time_by = "week")
time_seq(now, now + years(1), time_by = "fortnight")
time_seq(now, now + years(1), time_by = "year")
time_seq(now, now + years(10), time_by = "year")
time_seq(now, today + years(100), time_by = "decade")

# You can seamlessly mix dates and datetimes with no errors.
time_seq(now, today + days(3), time_by = "day")
time_seq(now, today + days(3), time_by = "hour")
time_seq(today, now + days(3), time_by = "day")
time_seq(today, now + days(3), time_by = "hour")

# Choose between durations or periods

start <- dmy(31012020)
# If time_type is left as is,
# periods are used for days, weeks, months and years.
time_seq(start, time_by = "month", length.out = 12,
         time_type = "period")
```

```

time_seq(start, time_by = "month", length.out = 12,
         time_type = "duration")
# Notice how strange base R version is.
seq(start, by = "month", length.out = 12)

# Roll forward or backward impossible dates

leap <- dmy(29022020) # Leap day
end <- dmy(01032021)
# 3 different options
time_seq(leap, to = end, time_by = "year",
         roll_month = "NA")
time_seq(leap, to = end, time_by = "year",
         roll_month = "postday")
time_seq(leap, to = end, time_by = "year",
         roll_month = getOption("timeplyr.roll_month", "preday"))

```

time_seq_id

Generate a unique identifier for a regular time sequence with gaps

Description

A unique identifier is created every time a specified amount of time has passed, or in the case of regular sequences, when there is a gap in time.

Usage

```

time_seq_id(
  x,
  time_by = NULL,
  threshold = 1,
  g = NULL,
  na_skip = TRUE,
  rolling = TRUE,
  switch_on_boundary = FALSE,
  time_type = getOption("timeplyr.time_type", "auto")
)

```

Arguments

| | |
|---------|--|
| x | Date, datetime or numeric vector. |
| time_by | Time unit. This signifies the granularity of the time data with which to measure gaps in the sequence. If your data is daily for example, supply <code>time_by = "days"</code> . If weekly, supply <code>time_by = "week"</code> . Must be one of the three: <ul style="list-style-type: none"> string, specifying either the unit or the number and unit, e.g <code>time_by = "days"</code> or <code>time_by = "2 weeks"</code> |

- named list of length one, the unit being the name, and the number the value of the list, e.g. `list("days" = 7)`. For the vectorized time functions, you can supply multiple values, e.g. `list("days" = 1:10)`.
- Numeric vector. If `time_by` is a numeric vector and `x` is not a date/datetime, then arithmetic is used, e.g. `time_by = 1`.

| | |
|--------------------|--|
| threshold | Threshold such that when the time elapsed exceeds this, the sequence ID is incremented by 1. For example, if <code>time_by = "days"</code> and <code>threshold = 2</code> , then when 2 days have passed, a new ID is created. Furthermore, threshold generally need not be supplied as <code>time_by = "3 days" & threshold = 1</code> is identical to <code>time_by = "days" & threshold = 3</code> . |
| g | Object used for grouping <code>x</code> . This can for example be a vector or data frame. <code>g</code> is passed directly to <code>collapse::GRP()</code> . |
| na_skip | Should NA values be skipped? Default is TRUE. |
| rolling | When this is FALSE, a new ID is created every time a cumulative amount of time has passed. Once that amount of time has passed, a new ID is created, the clock "resets" and we start counting from that point. |
| switch_on_boundary | When an exact amount of time (specified in <code>time_by</code>) has passed, should there an increment in ID? The default is FALSE. For example, if <code>time_by = "days"</code> and <code>switch_on_boundary = FALSE</code> , > 1 day must have passed, otherwise >= 1 day must have passed. |
| time_type | If "auto", periods are used for the time expansion when days, weeks, months or years are specified, and durations are used otherwise. |

Details

`time_seq_id()` Assumes `x` is regular and in ascending or descending order. To check this condition formally, use `time_is_regular()`.

Value

An integer vector of `length(x)`.

Examples

```
library(dplyr)
library(timeplyr)
library(lubridate)

# Weekly sequence, with 2 gaps in between
x <- time_seq(today(), length.out = 10, time_by = "week")
x <- x[-c(3, 7)]
# A new ID when more than a week has passed since the last time point
time_seq_id(x, time_by = "week")
# A new ID when >= 2 weeks has passed since the last time point
```

```

time_seq_id(x, time_by = "weeks", threshold = 2, switch_on_boundary = TRUE)
# A new ID when at least 4 cumulative weeks have passed
time_seq_id(x, time_by = "4 weeks",
            switch_on_boundary = TRUE, rolling = FALSE)
# A new ID when more than 4 cumulative weeks have passed
time_seq_id(x, time_by = "4 weeks",
            switch_on_boundary = FALSE, rolling = FALSE)

```

ts_as_tibble

Turn ts into a tibble

Description

While a method already exists in the `tibble` package, this method works differently in 2 ways:

- The time variable associated with the time-series is also returned.
- The returned tibble is always in long format, even when the time-series is multivariate.

Usage

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

```
## Default S3 method:
```

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

```
## S3 method for class 'mts'
```

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

```
## S3 method for class 'xts'
```

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

```
## S3 method for class 'zoo'
```

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

```
## S3 method for class 'timeSeries'
```

```
ts_as_tibble(x, name = "time", value = "value", group = "group")
```

Arguments

| | |
|-------|--|
| x | An object of class <code>ts</code> , <code>mts</code> , <code>zoo</code> , <code>xts</code> or <code>timeSeries</code> . |
| name | Name of the output time column. |
| value | Name of the output value column. |
| group | Name of the output group column when there are multiple series. |

Value

A 2-column tibble containing the time index and values for each time index. In the case where there are multiple series, this becomes a 3-column tibble with an additional "group" column added.

See Also

[time_ggplot](#)

Examples

```
library(timeplyr)
library(ggplot2)
library(dplyr)

# Using the examples from ?ts

# Univariate
uts <- ts(cumsum(1 + round(rnorm(100), 2)),
          start = c(1954, 7), frequency = 12)
uts_tbl <- ts_as_tibble(uts)

## Multivariate
mts <- ts(matrix(rnorm(300), 100, 3), start = c(1961, 1), frequency = 12)
mts_tbl <- ts_as_tibble(mts)

uts_tbl %>%
  time_ggplot(time, value)

mts_tbl %>%
  time_ggplot(time, value, group, facet = TRUE)

# zoo example
x.Date <- as.Date("2003-02-01") + c(1, 3, 7, 9, 14) - 1
x <- zoo::zoo(rnorm(5), x.Date)
ts_as_tibble(x)
x <- zoo::zoo(matrix(1:12, 4, 3), as.Date("2003-01-01") + 0:3)
ts_as_tibble(x)
```

unit_guess

Guess time unit and extract basic information.

Description

This is a simple R function to convert time units to a common unit, with number and scale. See `.time_units` for a list of accepted time units.

Usage

```
unit_guess(x)
```

Arguments

- x
- This can be 1 of 4 options:
- A string, e.g. "7 days"
 - lubridate duration or period object, e.g. days(1) or ddays(1).
 - A list, e.g. list("days" = 7)
 - A number, e.g. 5

Value

A list of length 3, including the unit, number and scale.

Examples

```
library(timeplyr)

# Single units
unit_guess("days")
unit_guess("hours")

# Multi-units
unit_guess("7 days")
unit_guess("0.5 hours")

# Negative units
unit_guess("-7 days")
unit_guess("-.12 days")

# Exotic units
unit_guess("fortnights")
unit_guess("decades")
.extra_time_units

# list input is accepted
unit_guess(list("months" = 12))
# With a list, a vector of numbers is accepted
unit_guess(list("months" = 1:10))
unit_guess(list("days" = -10:10 %% 7))

# Numbers also accepted
unit_guess(100)
```

year_month

Fast methods for creating year-months and year-quarters

Description

These are experimental methods for working with year-months and year-quarters inspired by 'zoo' and 'tsibble'.

Usage

```
year_month(x)

year_quarter(x)

YM(length = 0L)

year_month_decimal(x)

decimal_year_month(x)

YQ(length = 0L)

year_quarter_decimal(x)

decimal_year_quarter(x)
```

Arguments

| | |
|--------|---|
| x | A year_month, year_quarter, or any other time-based object. |
| length | Length of year_month or year_quarter. |

Details

The biggest difference is that the underlying data is simply the number of months/quarters since epoch. This makes integer arithmetic very simple, and allows for fast sequence creation as well as fast coercion to year_month and year_quarter from numeric vectors.

Printing method is also fast.

Examples

```
library(timeplyr)
library(lubridate)

x <- year_month(today())

# Adding 1 adds 1 month
x + 1
# Adding 12 adds 1 year
x + 12
# Sequence of yearmonths
x + 0:12

# If you unclass, do the same arithmetic, and coerce back to year_month
# The result is always the same
year_month(unclass(x) + 1)
year_month(unclass(x) + 12)

# Initialise a year_month or year_quarter to the specified length
YM(0)
```

YQ(0)
YM(3)
YQ(3)

Index

- * **datasets**
 - .time_units, 3
 - stat_summarise, 45
- .duration_units (.time_units), 3
- .extra_time_units (.time_units), 3
- .period_units (.time_units), 3
- .roll_na_fill (roll_na_fill), 41
- .stat_fns (stat_summarise), 45
- .time_units, 3

- add_group_id (group_id), 26
- add_group_order (group_id), 26
- add_row_id, 17
- add_row_id (group_id), 26
- age_months (age_years), 4
- age_years, 4
- asc, 4

- calendar, 5
- crossed_join, 6

- decimal_year_month (year_month), 92
- decimal_year_quarter (year_month), 92
- desc (asc), 4
- diff_ (roll_lag), 39
- duplicate_rows, 7, 13

- edf, 9

- fadd_count (fcount), 11
- farrange, 10
- fcomplete (fexpand), 14
- fcount, 8, 11
- fdistinct, 8, 13
- fexpand, 14
- fgroup_by, 16
- frename (fselect), 18
- frowid, 17
- fselect, 18
- fslice, 19
- fslice_head (fslice), 19

- fslice_max (fslice), 19
- fslice_min (fslice), 19
- fslice_sample (fslice), 19
- fslice_tail (fslice), 19

- get_time_delay, 22
- group_collapse, 8, 13, 24
- group_id, 26
- group_order (group_id), 26
- growth, 29
- growth_rate, 31

- interval_count (interval_start), 33
- interval_end (interval_start), 33
- interval_length (interval_start), 33
- interval_range (interval_start), 33
- interval_start, 33, 76
- is_date, 34
- is_datetime (is_date), 34
- is_time (is_date), 34
- is_time_interval (time_interval), 75
- is_time_or_num (is_date), 34
- is_whole_number, 35
- iso_week, 34
- isoday (iso_week), 34

- logical, 35

- missing_dates, 36

- n_missing_dates (missing_dates), 36

- q_summarise, 37, 47
- quantile, 37

- reset_timeplyr_options, 38
- roll_diff (roll_lag), 39
- roll_geometric_mean (roll_sum), 43
- roll_growth_rate, 32
- roll_growth_rate (roll_sum), 43
- roll_harmonic_mean (roll_sum), 43

roll_lag, 39
roll_mean (roll_sum), 43
roll_na_fill, 41
roll_sum, 43
rolling_growth (growth), 29
row_id, 17
row_id (group_id), 26

seq_id, 87
stat_summarise, 38, 45

time_aggregate, 47
time_breaks (time_cut), 53
time_by, 49
time_by_span (time_by), 49
time_by_units (time_by), 49
time_by_var (time_by), 49
time_complete (time_expand), 62
time_completev (time_expandv), 65
time_count, 51
time_countv (time_expandv), 65
time_cut, 49, 53
time_diff, 56
time_elapsed, 57, 61, 74
time_episodes, 59
time_expand, 62
time_expandv, 65
time_gaps, 68
time_gcd_diff, 70
time_ggplot, 71, 91
time_has_gaps (time_gaps), 68
time_id, 73
time_interval, 33, 75
time_is_regular, 77
time_lag, 40, 79
time_num_gaps (time_gaps), 68
time_roll_apply (time_roll_sum), 80
time_roll_growth_rate, 32
time_roll_growth_rate (time_roll_sum),
80
time_roll_mean, 45
time_roll_mean (time_roll_sum), 80
time_roll_sum, 80
time_roll_window (time_roll_sum), 80
time_roll_window_size (time_roll_sum),
80
time_seq, 84
time_seq_id, 61, 74, 87, 88
time_seq_sizes (time_seq), 84
time_seq_v (time_seq), 84
time_seq_v2 (time_seq), 84
time_span (time_expandv), 65
time_span_size (time_expandv), 65
time_summarisev, 49
time_summarisev (time_expandv), 65
timeplyr (timeplyr-package), 3
timeplyr-package, 3
ts_as_tibble, 72, 90

unit_guess, 91

year_month, 92
year_month_decimal (year_month), 92
year_quarter (year_month), 92
year_quarter_decimal (year_month), 92
YM (year_month), 92
YQ (year_month), 92